Dynamic CCTVLtd

Quality, Reliability, Price

Product Guide











- LARGEST UK HIKVISION DISTRIBUTOR -



SCAN HERE For digital copy

March 2022















2 Contents

Hikvision AcuSense IP Cameras	3 - 7
Hikvision 7 Line AcuSense IP Cameras	8
Hikvision IP ColorVu Cameras	9 - 10
Hikvision IP Cameras	11 - 13
Hikvision ANPR Cameras	14
Hikvision PanoVu Cameras	15
Hikvision Thermal Cameras	16
Hikvision IP PTZ Cameras	17 - 18
Hikvision IP Darkfighter PTZ Cameras	19 - 20
Hikvision NVR Range	21 - 23
Hikvision DeepInMind NVR Range	24
Seagate Hard Disc Drives	25
Hikvision PoC TVI Cameras	26 - 30
Hikvision PoC ColorVu TVI Cameras	31 - 32
Hikvision 2 & 8MP PoC DVR Range	33
Hikvision AoC & ColorVu TVI Cameras	34 - 35
Hikvision 8MP TVI Cameras	36 - 37
Hikvision TVI PTZ Cameras	38
Hikvision 2 & 8MP AcuSense DVR Range	39
Hikvision DVR Range	40 - 41
Keyboards & Accessories	42
Hikvision Switches	43 - 44
TP-Link Switches	45 - 49
Hikvision Monitors	50
<u>Monitors</u>	51
4K & Test Monitors	52
Monitor Accessories	53
Hikvision Decoders & Encoders	54
Wireless Transmission	55
Ajax Wireless Intruder	56 - 57
Hikvision AX Pro Wireless Intruder	58 - 59
Pyronix Wireless Intruder	60 - 61
GJD Detectors & IR Lighting	62
Optex Detectors	63
Hikvision IP Intercom	64 - 68
Hikvision Door Access	69
Vanderbilt ACT Door Access	70 - 71
Door Access & Ezviz	72
Door Access Peripherals & Altron	73
Audio Equipment	74
Power Supplies & Accessories	75 - 76
Veracity Transmission	77
CAT5 Transmission	78
Recorder Cabinets	79 - 81
Cable, Tools & Connectors	82
Project Support & Tokens	83
<u>HikCentral</u>	84
Secure Logiq & Workstations	85
Meet the BDM Team	86
Website.	87
Opening Hours & Delivery	88



DS-2CD2146G2-ISU Also available in Black

4MP 2.8 & 4mm fixed lens internal dome camera with built in mic

DS-2CD2166G2-ISU 6₹

6MP 2.8mm fixed lens internal dome camera with built in mic

DS-2CD2186G2-ISU 8≥

Also available in Black 8MP 2.8mm fixed lens internal dome camera with built in mic



Bracket Options:

- DS-1280ZJ-DM46 Junction box Also available in Black
- DS-1272ZJ-120 Wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount





















DS-2CD2346G2-IU

Also available in Grey & Black 4MP 2.8 & 4mm fixed lens turret camera with built in mic

DS-2CD2346G2-ISU/SL

Also available in Grey 4MP 2.8mm fixed lens turret camera with audio, built in speaker & alarm*

DS-2CD2366G2-IU 6₹

Also available in Grey 2.8mm 4MP 2.8 & 4mm fixed lens turret camera with built in mic

DS-2CD2386G2-IU 8₹

Also available in Grey 8MP 2.8 & 4mm fixed lens turret camera with built in mic

DS-2CD2386G2-ISU/SL

Also available in Grey & Black 8MP 2.8mm fixed lens turret camera with built in mic, built in speaker & alarm*



DARKFIGHTER

- DS-1280ZJ-DM21 Junction box Also available in Grey & Black
- DS-1273ZJ-140 Wall mount Also available in Grey & Black
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount























Return to **INDEX**





DS-2CD2546G2-IS

4MP 2.8mm fixed lens mini dome camera with IR & built in mic



Bracket Options:

- DS-1280ZJ-DM46 Junction box
- DS-1272ZJ-120 Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount











turret camera



DS-2CD2H46G2-IZS











6MP 2.8-12mm motorized varifocal lens turret camera

4MP 2.8-12mm motorized varifocal lens



DS-2CD2H86G2-IZS

8MP 2.8-12mm motorized varifocal lens turret camera





DARKFIGHTER

Bracket Options:

- DS-1473ZJ-135 Wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount











dome camera



DS-2CD2746G2-IZS











DS-2CD27862-IZS

8MP 2.8-12mm motorized varifocal lens dome camera

4MP 2.8-12mm motorized varifocal lens

Integrated Junction Box



Powered by

DARKFIGHTER

Bracket Options:

- DS-1473ZJ-155 Wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount


































DS-2CD2046G2-IU

4MP 2.8mm fixed lens mini bullet camera with built in mic





DS-2CD2066G2-IU

6MP 2.8mm fixed lens mini bullet camera with built in mic



DS-2CD2086G2-IU

8MP 2.8mm fixed lens mini bullet camera with built in mic





• DS-1280ZJ-XS Junction box























DS-2CD2T46G2-2I

Also available in Grey 4MP 4mm fixed lens bullet camera





6MP 4mm fixed lens bullet camera





DS-2CD2T86G2-2I

8MP 2.8mm fixed lens bullet camera



DARKFIGHTER

Bracket Options:

- DS-1280ZJ-S Junction box Also available in Grey
- DS-1260ZJ Power intake box
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount























DS-2CD2T86G2-ISU/SL

8MP 4mm fixed lens bullet camera with audible warning and strobe light



DARKFIGHTER

Bracket Options:

- DS-1280ZJ-S Junction box
- DS-1260ZJ Power intake box
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount



























DS-2CD2646G2-IZS

Also available in Grev 4MP 2.8-12mm varifocal lens bullet camera



DS-2CD2666G2-IZS

6MP 2.8-12mm varifocal lens bullet camera





DS-2CD2686G2-IZS

8MP 2.8-12mm varifocal lens bullet camera

Integrated Junction Box



DARKFIGHTER



- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount





























DS-2CD3156G2-ISU

5MP 2.8mm fixed lens internal dome camera with built in mic



120 PoE Alarm Filtering

DS-2CD3186G2-ISU

Micro SD

8MP 2.8mm fixed lens internal dome camera with built in mic



Bracket Options:

- DS-1280ZJ-DM46 Junction box
- DS-1272ZJ-120 Wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount





DS-2CD3356G2-ISU

5MP 2.8mm fixed lens turret camera with built in mic



DS-2CD3386G2-ISU

8MP 2.8mm fixed lens turret camera with built in mic





Bracket Options:

- DS-1280ZJ-DM21 Junction box
- DS-1273ZJ-140 Wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount



























DS-2CD3756G2-IZS

5MP 2.7-13.5mm motorized varifocal lens dome camera



DS-2CD3786G2-IZS

8MP 2.7-13.5mm motorized varifocal lens dome camera

Integrated Junction Box



DARKFIGHTER

- **Bracket Options:** • DS-1473ZJ-155 Wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount



























HIKVISION AcuSense IP Cameras 7





DS-2CD3T56G2-4IS

5MP 4mm fixed lens bullet camera



DS-2CD3T86G2-4IS

8MP 4mm fixed lens bullet camera



Bracket Options:

- DS-1260ZJ Power intake box
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount





DS-2CD3656G2-IZS

5MP 2.7-13.5mm varifocal lens bullet camera



DS-2CD3686G2-IZS

5MP 2.7-13.5mm varifocal lens bullet camera

Integrated Junction Box



DARKFIGHTER

Bracket Options:

- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount



























DS-2CD3347G2-LSU

4MP 2.8mm fixed lens ColorVu turret camera with built in mic



DS-2CD3387G2-LSU

8MP 2.8mm fixed lens ColorVu turret camera with built in mic





- DS-1280ZJ-DM21 Junction box
- DS-1273ZJ-140 Wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount



































iDS-2CD7146G0-IZS

4MP 2.8-12mm motorized varifocal lens internal dome camera



























iDS-2CD7546G0-IZHS

4MP 2.8-12mm motorized varifocal lens dome camera



Bracket Options:

- DS-1473ZJ-155 Metal wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount





























iDS-2CD7586G0-IZHS

8MP 2.8-12mm motorized varifocal lens dome camera



Bracket Options:

- DS-1473ZJ-155 Metal wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount





























iDS-2CD7A46G0-IZHS

4MP 2.8-12mm motorized varifocal lens bullet camera

























- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount





DS-2CD2347G2-LU

Also available in Grev & Black 4MP 2.8 & 4mm fixed lens ColorVu turret camera with built in mic



Bracket Options:

• DS-1280ZJ-DM21 Junction box Also available in Grey & Black

AcuSense

- DS-1273ZJ-140 Wall mount Also available in Grey & Black
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount



DS-2CD2387G2-LU

Also available in Black 8MP 2.8 & 4mm fixed lens ColorVu turret camera with built in mic





DS-2CD2347G2-LSU/SL

4MP 2.8 & 4mm fixed lens ColorVu turret camera with audible warning and strobe light



DS-2CD2387G2-LSU/SL

8MP 2.8 & 4mm fixed lens ColorVu turret camera with audible warning and strobe light

























ColorVu

Bracket Options:

- DS-1280ZJ-DM21 Junction box
- DS-1273ZJ-140 Wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount







DS-2CD2147G2-SU

4MP 2.8mm fixed lens ColorVu vandal resistant dome camera with built in mic



Bracket Options:

- DS-1280ZJ-DM46 Junction box
- DS-1272ZJ-120 Wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount





DS-2CD2547G2-LS

4MP 2.8mm fixed lens ColorVu mini dome camera with built in mic



- DS-1280ZJ-DM46 Junction box
- DS-1272ZJ-120 Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount





























DS-2CD2747G2-LZS(C)

4MP 3.6-9mm motorized varifocal lens ColorVu vandal resistant dome camera

Integrated Junction Box



Bracket Options:

- DS-1473ZJ-155 Metal wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount





























DS-2CD2647G2-LZS(C)

4MP 3.6-9mm motorized varifocal lens ColorVu bullet camera

Integrated Junction Box



Bracket Options:

- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount































DS-2CD2047G2-LU

Also available in Grey 4MP 2.8mm fixed lens ColorVu bullet camera with built in mic



DS-2CD2087G2-LU

8MP 2.8mm fixed lens ColorVu bullet camera with built in mic



ColorVu

Bracket Options:

- DS-1280ZJ-S Junction box Also available in Grey
- DS-1275ZJ Vertical pole mount

AcuSense

ColorVu

• DS-1280ZJ-S Junction box

• DS-1260ZJ Power intake box • DS-1275ZJ Vertical pole mount

• DS-1276ZJ-SUS Corner mount

Bracket Options:

• DS-1276ZJ-SUS Corner mount







































DS-2CD2T47G2-L

4MP 4mm fixed lens ColorVu bullet camera



DS-2CD2T47G2-LSU/SL

4MP 4mm fixed lens ColorVu bullet camera with audible warning and strobe light*



DS-2CD2T87G2-L

8MP 4mm fixed lens ColorVu bullet camera



DS-2CD2T87G2-LSU/SL

8MP 4mm fixed lens ColorVu bullet camera with audible warning and strobe light*

























HIKVISION IP Cameras 11





DS-2CD2343G2-IU

4MP 4mm fixed lens turret camera



Bracket Options:

- DS-1280ZJ-DM8 Junction box
- DS-1273ZJ-130-TRL Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount



















Bracket Options:

- DS-1273ZJ-130-TRL Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount





DS-2CD2345G0P-I

4MP 1.68mm internal ultra wide angle fixed • DS-1280ZJ-DM8 Junction box























DS-2CD2T45GOP-I

4MP 1.68mm external ultra wide angle fixed Bracket Options:

• DS-1280ZJ-S Junction box lens IR bullet camera



- DS-1260ZJ Power intake box
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount























DS-2CD2E43G2-U

4MP 2.8mm In-ceiling mini dome with built in

















DS-2CD2583G2-IS

8MP 2.8mm fixed lens mini dome camera with IR & built in mic*



Bracket Options:

- DS-1280ZJ-DM46 Junction box
- DS-1272ZJ-120 Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount

























DS-2CD2955FWD-IS

5MP 1.05mm internal fisheye 180° camera with IR & & audio/alarm























DS-2CD6365G0-IS

6MP 1.27mm internal fisheye 360° camera with IR & audio/alarm



DS-2CD6365G0-IVS*

6MP 2mm fisheye 360° vandal resistant camera with IR & audio/alarm



DS-2CD63C5G0-IVS*

12MP 1.29mm fisheye 360° vandal resistant camera with IR & audio/alarm



Bracket Options:

• DS-1280ZJ-DM25 Junction box

• DS-1273ZJ-DM25 Metal wall mount

• DS-1271ZJ-DM25 Pendant mount



























DS-2CD6W45G0-IVS

4MP 2mm anti-ligature fisheye camera with & audio/alarm





















DS-2XS6A87G1-L/C32S80 8MP 2.8mm fixed lens ColorVu bullet solar power 4G camera kit







Lithium Battery for DS-2XS6A87G1-L/ C32S80





DS-2CD6825G0/C-IS

2MP 2mm dual lens internal people counting camera



















DS-2CD6425G1-10(3.7mm)2m 2MP 3.7mm internal covert camera

















DS-2CD6425G1-20(3.7mm)2m

2MP 3.7mm internal covert camera













iDS-2CD7A26G0/P-IZHSY (2.8 - 12mm)

2MP motorized varifocal lens licence plate recognition bullet camera, supports wiegand interface & audio

iDS-2CD7A26G0/P-IZHSY (8 - 32mm)

2MP motorized varifocal lens licence plate recognition bullet camera, supports wiegand interface & audio





FEATURES:

- 2.8 12mm varifocal lens
- 8 32mm varifocal lens
- LPR search for specific time periods
- Single licence plate search
- Easy thumbnail search presentation
- Snapshot and event footage backup
- Licence plate log back up for specific time period presented in excel file
- Individual linkage action based on black list white list on LPR trigger including:
- Buzzer sound
- Full screen pop up
- Smart phone notification
- Email sending
- Alarm relay output operation

- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount





DS-2CD6D52G0-IHS

5MP 2.8mm dual fixed lens panovu camera with built in mic



























DS-1602ZJ Wall mount

Bracket Options: • DS-1602ZJ Wall mount

Bracket Options:

• DS-1661ZJ-6D Pendant mount

- DS-1661ZJ Pendant mount
- DS-1663ZJ Pendant mount
- DS-1275ZJ Vertical pole mount • DS-1276ZJ-SUS Corner mount





DS-2CD6D54FWD-IZHS

5MP 2.8-12mm motorized varifocal lens panovu camera

4 adjustable lenses in one camera covering up to 360° field of view to ensure no blind spots.

Each lens up to 5MP capturing clear images allowing more details to be displayed on a video wall

Please Note: This camera uses 4 recorder channels





























DS-2CD6924G0-IHS

8MP 2.8mm fixed lens 180° stitched panovu camera

4 adjustable lenses in one camera covering up to 180° • DS-1661ZJ Pendant mount field of view to ensure no blind spots.

Each lens up to 2MP capturing clear images allowing more details to be displayed on a video wall

Please Note: This camera uses 4 recorder channels

























DS-2CD6D54G1-IZS

20MP 2.8-8mm motorized varifocal lens panovu camera

4 adjustable lenses in one camera covering up to 360° • DS-1618ZJ-6D Wall mount field of view to ensure no blind spots.

Each lens up to 5MP capturing clear images allowing more details to be displayed on a video wall

Please Note: This camera uses 4 recorder channels

























DS-2DP3236ZIXS-D/440(F0)(P4)

32MP 2.8mm fixed lens 360° stitched panovu camera with PTZ























16 HIKVISION Thermal Cameras

DS-2TD1228-2/QA

built in Bi-spectrum, strobe light & audio alarm

DS-2TD1228-3/QA

3.1mm fixed lens thermal turret with built in Bi-spectrum, strobe light & audio alarm

DS-2TD1228-7/QA

6.9mm fixed lens thermal turret with built in Bi-spectrum, strobe light & audio alarm



Features:

- 2.1 mm fixed lens fixed lens thermal turret with \cdot 256 \times 192 resolution, 12 μ m, VOx UFPA, NETD < 40 mK (25°C, F1.0)
 - Video content analysis: vehicle/human classification
 - Temperature exception alarm for fire prevention, -20° C to 150° C (-4° F to 302° F), $\pm 8^{\circ}$ C ($\pm 14.4^{\circ}$ F)
 - Image processing technology: linear, histogram, self-adaptive thermal AGC mode, DDE, 3D DNR

Bracket Options:

- DS-1280ZJ-DM21 Junction box
- DS-1273ZJ-140 Metal wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount



DS-2TD2628-3/QA

strobe light & audio alarm

DS-2TD2628-7/QA

6.9mm thermal bullet with built in Bi-spectrum, strobe light & audio alarm

DS-2TD2628-10/QA

9.7mm thermal bullet with built in Bi-spectrum, strobe light & audio alarm



Features:

- 3.6mm thermal bullet with built in Bi-spectrum, \cdot 256 \times 192 resolution, 12 μ m, VOx UFPA, NETD < 40 mK (25°C, F1.0)
 - Video content analysis: vehicle/human classification
 - Temperature exception alarm for fire prevention, -20°C to 150° C (-4°F to 302° F), $\pm 8^{\circ}$ C ($\pm 14.4^{\circ}$ F)
 - · Image processing technology: linear, histogram, self-adaptive thermal AGC mode, DDE, 3D DNR

Bracket Options:

- DS-1280ZJ-S Junction box
- DS-1260ZJ Power intake box
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount



DS-2TD2137-7/PI

6.5mm fixed lens thermal network bullet camera with built in GPU

DS-2TD2137-15/PI

15mm fixed lens thermal network bullet camera with built in GPU

DS-2TD2637-10/PI

9.7mm fixed lens thermal network bullet camera with built in GPU



Special order product

DS-2TD2137-10/PI

9.7mm fixed lens thermal network bullet camera with built in GPU

DS-2TD2137-25/PI

25mm fixed lens thermal network bullet camera with built in GPU

Thermal Imaging Module Function

- Behavior analysis function, based on deep learning algorithm: line crossing, intrusion, region entrance & exit
- Temperature exception alarm for fire prevention
- Fire detection algorithm
- 384 \times 288 resolution 17 μ m, VOx UFPA, NETD \leq 35 mK $(25 \, ^{\circ}\text{C}, F\# = 1.0)$
- Image processing technology: Liner, histogram, and self-adaptive thermal AGC mode, DDE, 3D DNR

- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount

DS-2DE3A400BW-DE(F1)(S5) FEATURES:

4MP AcuSense mini ColorVu Pan & zoom camera





- 4MP high resolution
- Up to 30m White light
- 4mm fixed lens
- 16x digital zoom
- H.265
- 12 VDC, PoE 14W
- Face capture
- 1 alarm in / 1 alarm out
- Built in microphone & speaker
- Micro SD slot



DS-2DE4425W-DE3(S6)

4MP internal PTZ with 25X zoom



FEATURES:

- 4MP high resolution
- Embedding option
- True day/night
- 25X optical zoom, 4.8 120mm
- 12V DC, PoE 18W
- 1 alarm in / 1 alarm out
- Micro SD slot



DS-2DE4A425IW-DE

4MP IR PTZ with 25X zoom





Bracket Options:

- DS-1605ZJ Wall mount
- DS-1280ZJ-SD11 Junction box

FEATURES:

- 4MP high resolution
- Up to 50m IR distance
- True day/night
- 25X optical zoom, 4.8 120mm
- H.265+
- 12V DC, HI-PoE 18W
- 2 alarms in / 2 alarms out
- Auto tracking
- · Micro SD slot



DS-2SE7C144IW-AE(32x/4)(S5)

4MP AcuSense IR PTZ with 32X zoom





- 4MP high resolution
- Up to 150m IR distance
- Auto tracking
- True day/night
- 32X optical zoom, 5.9 188.8mm
- · H.265+
- 24V AC, HI-PoE 42W
- Micro SD slot
- 2 alarms in / 1 alarm out
- Supports audio visual alarm



18 HIKVISION IP PTZ Cameras

DS-2DE4215IW-DE(T5)

2MP AcuSense IR PTZ with 15X zoom







Comes with:

• DS-1618ZJ Wall mount

FEATURES:

- 2MP 1080P full HD resolution
- Up to 100m IR distance
- True day/night
- 15X optical zoom, 5 75mm
- H.265+
- 12V DC, PoE 24W
- 1 alarm in / 1 alarm out
- Micro SD slot



DS-2DE4425IW-DE(T5)

4MP AcuSense IR PTZ with 25X zoom







Comes with:

DS-1618ZJ Wall mount

FEATURES:

- 4MP high resolution
- Up to 100m IR distance
- True day/night
- 25X optical zoom, 4.8 120mm
- H.265+
- 12V DC, PoE 18W
- 1 alarm in / 1 alarm out
- Micro SD slot



DS-2DE5425IW-AE(T5)

4MP AcuSense IR PTZ with 25X zoom





Powered by



Comes with:

DS-1602ZJ Wall mount

FEATURES:

- 4MP high resolution
- Up to 150m IR distance
- Auto tracking
- True day/night
- 25X optical zoom, 4.8 120mm
- H.265+
- 24V AC, HI-PoE 30W
- 2 alarms in / 1 alarm out
- Micro SD slot



DS-2DE7A432IW-AEB(T5)

4MP AcuSense IR PTZ with 32X zoom





DARKFIGHTER

Comes with:

DS-1602ZJ Wall mount

- 4MP high resolution
- Up to 200m IR distance
- Auto tracking
- True day/night
- 32X optical zoom, 5.9 188.8mm
- H.265+
- 24V AC, HI-PoE 42W
- 2 alarms in / 1 alarm out
- Supports audio visual alarm
- Micro SD slot



HIKVISION IP Darkfighter PTZ Cameras 19

DS-2DF8225IX-AEL(T3)

2MP PTZ with 25X zoom





FEATURES:

- 2MP 1080P full HD resolution
- Up to 400m IR distance
- 25X optical zoom, 5.9 147.5mm
- H.265+
- 24V AC, HI-PoE 50W
- Smart tracking
- 7 alarms in / 2 alarms out
- Micro SD slot
- Wiper



DS-2DF8225IX-AELW(T5)

2MP PTZ with 25X zoom and wiper





FEATURES:

- 2MP 1080P full HD resolution
- Up to 400m IR distance
- 25X optical zoom, 5.9 147.5mm
- H.265+
- 24V AC, HI-PoE 50W
- Smart tracking
- 7 alarms in / 2 alarms out
- Micro SD slot
- Wiper



DS-2DF8242IX-AELW(T5)

2MP PTZ with 42X zoom and wiper





- 2MP 1080P full HD resolution
- Up to 400m IR distance
- 42X optical zoom, 6 252mm
- H.265+
- 24V AC, HI-PoE 50W
- Smart tracking
- 7 alarms in / 2 alarms out
- Micro SD slot
- Wiper



DS-2DF8C442IXS-AELW(T5)

4MP PTZ with 42X zoom and wiper * 4MP high resolution



FEATURES:

- Up to 500m IR distance
- 42X optical zoom, 6 252mm
- H.265+
- 24V AC, HI-PoE 60W
- Smart tracking
- 7 alarms in / 2 alarms out
- Micro SD slot
- Wiper



DS-2DF8C842IXS-AELW(T5)

8MP PTZ with 42X zoom and wiper * 8MP high resolution



FEATURES:

- Up to 500m IR distance
- 42X optical zoom, 6 252mm
- H.265+
- 24V AC, HI-PoE 60W
- Smart tracking
- 7 alarms in / 2 alarms out
- Micro SD slot
- Wiper



DS-1602ZJ/CORNER

Corner mount bracket



DS-1602ZJ/POLE

Pole mount bracket



DS-1602ZJ/WALL

Wall mount bracket



DS-1604ZJ

Wall mount bracket with junction box



DS-1619ZJ

Swan neck bracket



DS-1660ZJ

Parapet mount bracket



DS-1661ZJ

Mini ceiling bracket



DS-1662ZJ

Ceiling



DS-1663ZJ

Ceiling adaptor



HIK/POE

60W PoE injector



DS-1619ZJ-HP

Swan neck bracket for DS-2DF8C* series PTZs



DS-1603ZJ-P

Wall mount for DS-2DF8C* series PTZs



DS-1603ZJ-POLE-P

Vertical pole mount for DS-2DF8C* series PTZs



DS-1603ZJ-CORNER-P

Corner mount for DS-2DF8C* series PTZs



DS-7604NI-K1/4P(C) 4ch NVR DS-7608NI-K1/8P(C) 8ch NVR DS-7608NI-K2/8P 8ch NVR DS-7616NI-K2/16P 16ch NVR

FEATURES:

- Up to 8MP resolution recording
- Built in 4ch, 8ch or 16ch PoE
- 4ch: 40Mbps record rate,
 8ch: 80Mbps record rate,
 16ch 160Mbps record rate
- HDMI output at up to 3840 x 2160 resolution
- VGA output at up to 1920 x 1080 resolution
- 4ch & 8ch (K1): 1 SATA interface
 8/16ch (K2): 2 SATA interfaces
- HDD quota and group management
- Single gigabit network port
- Push notification
- 8/16ch: 4 alarm inputs, 1 alarm output



	NO HDD	1TB	2TB	ЗТВ	4TB	6ТВ	8ТВ	12TB	16TB
4ch	✓	✓	✓	✓	✓	✓	✓	×	×
8ch (K1)	√	√	✓	√	✓	√	√	×	ж
8ch (K2)	✓	✓	✓	✓	✓	✓	✓	✓	✓
16ch	√	×	√						







DS-7732NI-I4/24P 32ch NVR

- Up to 12MP resolution recording
- 32ch: 320Mbps record rate
- HDMI output at up to 3840 x 2160 resolution
- VGA output at up to 1920 x 1080 resolution, BNC output
- Plug & Play with 16 independent PoE network interfaces
 24 independent PoE network interfaces for the 24P model
- 4 SATA interfaces
- HDD quota and group management
- Push notification
- 16 alarm inputs, 4 alarm outputs







22 HIKVISION NVR Range

DS-7608NXI-I2/8P/S(C) 8ch NVR DS-7616NXI-I2/16P/S(C) 16ch NVR

FEATURES:

- Up to 12MP resolution recording
- 8-ch: 80Mbps record rate
 16-ch: 160Mbps record rate
- HDMI output at up to 3840 x 2160 resolution
- VGA output at up to 1920 x 1080 resolution
- Up to 8 SATA interfaces, Upto 16TB internal storage
- 8-ch: Plug & Play with 8 independent PoE network interfaces
 16-ch: Plug & Play with 16 independent PoE network interfaces
- 4-ch face pictures comparison alarm
- 1-ch human face capture (HD network camera, at 8MP)
- False alarm filtering for up to 4ch behaviour, at 2MP
- 4 alarm inputs, 1 alarm output
- Face Detection & analytics
- Human/ vehicle analysis









DS-7716NXI-I4/S(C) 16ch NVR DS-7716NXI-I4/16P/S(C) 16ch NVR DS-7732NXI-I4/S(C) 32ch NVR DS-7732NXI-I4/16P/S(C) 32ch NVR

- Up to 12MP resolution recording
- 16-ch: 160Mbps record rate 32-ch: 256Mbps record rate
- HDMl output at up to 3840 x 2160 resolution
- VGA output at up to 1920 x 1080 resolution
- Up to 4 SATA interfaces, Upto 32TB internal storage
- /16P: Plug & Play with 16 independent PoE network interfaces
- 4-ch face pictures comparison alarm
- 1-ch human face capture (HD network camera, at 4MP)
- False alarm filtering for up to 4ch behaviour, at 2MP
- 16 alarm inputs, 4 alarm outputs
- Face Detection & analytics
- Human/ vehicle analysis
- 16ch & 32ch non PoE: Dual Gigabit*



HIKVISION NVR Range 23

DS-8664NI-18 64ch NVR

FEATURES:

- Up to 12MP resolution recording
- 320Mbps record rate, 200Mbps in RAID mode
- HDMI output at up to 3840 x 2160 resolution
- VGA output at up to 1920 x 1080 resolution
- Up to 8 SATA interfaces
- HDD quota and group management
- Dual gigabit network interfaces
- Push notification
- 16 alarm inputs, 4 alarm outputs
- Upto 64TB internal storage
- RAID compatible

DS-9632NI-I8 32ch NVR DS-9664NI-I8 64ch NVR

FEATURES:

- Up to 12MP resolution recording
- 320Mbps record rate, 200Mbps in RAID mode
- HDMI output at up to 3840 x 2160 resolution
- VGA output at up to 1920 x 1080 resolution
- Up to 8 SATA interfaces
- HDD quota and group management
- Dual gigabit network interfaces
- Push notification
- 16 alarm inputs, 4 alarm outputs
- Upto 64TB internal storage
- RAID compatible

DS-96064NI-I16 64ch NVR DS-96128NI-I16 128ch NVR

FEATURES:

- Up to 12MP resolution recording
- 64ch: 512Mbps record rate, 512Mbps in RAID mode
 128ch: 576Mbps record rate, 512Mbps in RAID mode
- HDMI output at up to 3840 x 2160 resolution
- VGA output at up to 1920 x 1080 resolution
- 16 SATA HDD interface
- HDD quota and group management
- Push notification
- 16 alarm inputs, 8 alarm outputs
- Upto 128TB internal storage
- RAID compatible







128ch

24 HIKVISION DeepInMind NVR Range

iDS-7716NXI-I4/X(C) 16ch NVR iDS-7716NXI-I4/16P/X(C) 16ch NVR iDS-7732NXI-I4/16P/X(C) 32ch NVR

FEATURES:

- Up to 12MP resolution recording
- 320Mbps record rate
- HDMI output at up to 3840 x 2160 resolution
- VGA output at up to 1920 x 1080 resolution
- Up to 4 SATA interfaces, Upto 32TB internal storage
- 32ch: Plug & Play with 16 independent PoE network interfaces
 16Pch: Plug & Play with 16 independent PoE network interfaces
- 16-ch face pictures comparison alarm
- 8-ch human face capture (HD network camera, at 4MP)
- False alarm filtering for up to 16ch behaviour, at 4MP
- 16 alarm inputs, 8 alarm outputs
- Face Detection & analytics
- Human/ vehicle analysis
- 16ch: Dual Gigabit



DEEPINMIND







IDS-9632NXI-18/X(C) 32ch NVR

FEATURES:

- Up to 12MP resolution recording
- 320Mbps record rate, 200Mbps in RAID mode
- HDMI output at up to 3840 x 2160 resolution
- \bullet VGA output at up to 1920 x 1080 resolution
- 8 SATA HDD interface
- Picture search by features
- 16 alarm inputs, 8 alarm outputs
- Upto 64TB internal storage
- RAID compatible
- Human/ vehicle analysis

DEEPINMIND









No Additional Cost!

All recorders 2TB and above come with Seagate Recovery service














Protect your CCTV video recordings with SkyHawk's included rescue plan

3-years Rescue Data Recovery Services included as standard. Under the protective wing of Skyhawk, losing key evidence or video footage due to vandalism, viruses, accidents, data corruption, human error, deletion, and natural disaster are no longer the end of the world.



Hikvision, the world's leading supplier of innovative video surveillance products and solutions is further advancing surveillance camera technology by introducing Power over Coaxial to its TVI cameras and DVRs.

This makes installing the cameras a lot simpler which is great news for installers.

Power over Coaxial (PoC) basically means that power for the camera is supplied by the DVR via coaxial videocable (RG59 or similar), this removes the requirement for separate cables and power supplies which would otherwise be needed to power your cameras. For installers this means a much more time and cost efficient installation.

PoC can be used on cable runs up to 200 metres and is available in 4,8 and 16 channel DVRs (models ending /P), a full complement of TVI PoC cameras are also available (models ending E) which together offer a cost effective and time saving solution to your TVI installations.

PLEASE NOTE:

- 1. All PoC capable TVI cameras can be powered locally via a separate power supply allowing them to be used on a none PoC TVI DVR
- 2. All none PoC TVI cameras can work on a PoC capable TVI DVR as the camera is powered via a separate power supply and PoC will only transmit when requested to by a compatible camera
- 3. PoC transmission has generally been used through RG59 coaxial or similar cable, however with the release of our HAY-HDVB01POC-PT (see page 78) it can now also be used through CAT5 offering even greater flexibility of install.

HIKVISION 2MP PoC TVI Cameras 27





DS-2CE56D8T-ITME

2MP 2.8mm fixed lens ultra-low light PoC IR eyeball camera

Bracket Options:

- DS-1280ZJ-XS Junction box
- DS-1272ZJ-110-TRS Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount















DS-2CE56D8T-IT3E
2MP 2.8mm fixed lens ultra-low light PoC IR turret camera



- DS-1280ZJ-TR13 Power intake box
- DS-1272ZJ-110-TRS Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount















DS-2CE56D8T-IT3ZE

2MP 2.8-12mm motorized varifocal ultra-low light PoC IR turret camera

- DS-1280ZJ-TR12 Power intake box
- DS-1273ZJ-130-TRL Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount















DS-2CE56D8T-VPITE
2MP 2.8mm fixed lens ultra-low light PoC IR internal vandal resistant dome camera

Bracket Options:

- DS-1280ZJ-DM18 Junction box
- DS-1272ZJ-110 Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount
- DS-1258ZJ Plastic wall mount

















DS-2CE56D8T-VPIT3ZE

2MP 2.8-12mm motorized varifocal ultra-low light PoC IR vandal resistant dome camera

Bracket Options:

- DS-1273ZJ-140 Metal wall mount
- DS-1275ZJ Metal wall mount
- DS-1276ZJ-SUS Corner mount





















DS-2CE16D8T-IT3E 2MP 3.6mm fixed lens ultra-low light PoC IR bullet camera

Bracket Options:

• DS-1280ZJ-XS Junction box















DS-2CE16D8T-IT3ZE

2MP 2.8-12mm motorized varifocal ultra-low light PoC IR bullet

- DS-1280ZJ-S Junction box
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount













HIKVISION 5MP PoC TVI Cameras 29



DS-2CE78HOT-IT3E Also available in Grey

Also available in Grey
5MP 2.8mm fixed lens ultra-low light PoC
IR turret camera

Bracket Options:

- DS-1280ZJ-TR13 Power intake box Also available in Grey
- DS-1272ZJ-110-TRS Metal wall mount Also available in Grey
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount















DS-2CE57HOT-VPITE

5MP 2.8mm fixed lens PoC IR internal vandal resistant dome camera



- DS-1280ZJ-DM18 Junction box
- DS-1272ZJ-110 Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount
- DS-1258ZJ Plastic wall mount

















DS-2CE5AHOT-VPIT3ZE(C)

5MP 2.7-13.5mm motorized varifocal vandal resistant PoC IR dome camera

- DS-1280ZJ-DM45 Junction box
- DS-1273ZJ-140-DM45 Metal wall mount





















DS-2CE79HOT-IT3ZE

Also available in Grey
5MP 2.7-13.5mm motorized varifocal PoC
IR turret camera

Bracket Options:

- DS-1280ZJ-TR12 Power intake box Also available in Grey
- DS-1273ZJ-130-TRL Metal wall mount Also available in Grey
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount















DS-2CE17H0T-IT3E

5MP 3.6mm fixed lens ultra-low light PoC IR bullet camera

Bracket Options:

• DS-1280ZJ-XS Junction box















DS-2CE19H0T-IT3ZE

5MP 2.7-13mm motorized varifocal PoC IR bullet camera



- DS-1280ZJ-S Junction box
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount













HIKVISION PoC ColorVu TVI Cameras 31



DS-2CE59DF8T-AVPZE

2MP 2.8-12mm motorized varifocal lens vandal resistant PoC & ColorVu dome camera



Bracket Options:

- DS-1473ZJ-155 Wall mount
- DS-1475ZJ-SUS Vertical pole mount
- DS-1476ZJ-SUS Corner mount



















DS-2CE72HFT-E

Also available in Grey & Black 5MP 2.8mm fixed lens PoC & ColorVu turret camera



- DS-1280ZJ-TR13 Power intake box Also available in Grey & Black
- DS-1272ZJ-110-TRS Metal wall mount Also available in Grey
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount













Also available in Grey & Black 8MP 2.8mm fixed lens PoC & ColorVu turret camera



- DS-1280ZJ-S Junction box Also available in Grey & Black
- DS-1272ZJ-110-TRS Metal wall mount Also available in Grey
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount













DS-2CE19DF8T-AZE

2MP 28-12mm motorized varifocal lens PoC & ColorVu bullet camera



Bracket Options:

- DS-1280ZJ-S Junction box
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount















DS-2CE12HFT-E

5MP 3.6mm fixed lens PoC & ColorVu bullet camera



Bracket Options:

DS-1280ZJ-XS Junction box













DS-2CE12UF3T-E

8MP 3.6mm fixed lens PoC & ColorVu bullet camera



Bracket Options:

• DS-1280ZJ-XS Junction box









HIKVISION 2MP & 8MP PoC DVR Range 33

DS-7204HQHI-K1/P 4ch DVR

FEATURES:

- Connectable to HD-TVI, CVI, AHD, IP & analogue cameras
- Long distance transmission over twisted pair cable & coax cable
- H.265+ compression improves encoding efficiency by up to 50% & reduces data storage costs
- 15fps recording at 1080P
- HDMI output at up to 1920 x 1080 resolution
- Smart search for efficient playback

PLEASE NOTE: GIVES POWER OVER COAX UPTO 200M (CAMERA DEPENDENT) WHEN USED WITH D8T, DF8T, HOT, HFT & **UF3T POWER OVER COAX CAPABLE CAMERAS**









DS-7204HUHI-K1/P 4ch DVR DS-7208HUHI-K2/P 8ch DVR **DS-7216HUHI-K2/P** 16ch DVR

FEATURES:

- · Connectable to HD-TVI, CVI, AHD, IP & analogue cameras
- Long distance transmission over twisted pair cable &
- H.265+ compression improves encoding efficiency by up to 50% & reduces data storage costs
- 8MP @ 8fps, 5MP @ 12fps, 4MP @ 15fps, 3MP @ 18fps, 2MP @ 25fps
- HDMI output at up to 4K (3840 x 2160) resolution for the 16ch
- · Smart search for efficient playback
- 4ch: 4 alarms in / 1 alarm out 8ch: 8 alarms in / 4 alarms out 16ch: 4 alarms in / 1 alarm out

PLEASE NOTE: GIVES POWER OVER COAX UPTO 200M (CAMERA DEPENDENT) WHEN USED WITH D8T, DF8T, HOT, HFT & UF3T POWER OVER COAX CAPABLE CAMERAS

















	NO HDD	1TB	2ТВ	ЗТВ	4TB	6ТВ	8TB	12TB	16TB
4ch	✓	✓	✓	✓	✓	✓	✓	×	×
8ch	✓	✓	✓	✓	✓	✓	✓	✓	×
16ch	√	×	√						

34 HIKVISION AoC & ColorVu TVI Cameras



Bracket Options:

Bracket Options:

• DS-1280ZJ-XS Junction box

Also available in Grey

Also available in Grey

• DS-1275ZJ Vertical pole mount

• DS-1276ZJ-SUS Corner mount

• DS-1280ZJ-TR13 Power intake box Also available in Grey

Also available in Grey

DS-1275ZJ Vertical pole mount

• DS-1276ZJ-SUS Corner mount

• DS-1272ZJ-110-TRS Metal wall mount

• DS-1272ZJ-110-TRS Metal wall mount





DS-2CE76DOT-ITMF(C)

2MP 2.8mm fixed lens IR eyeball camera non AoC, 4 in 1

DS-2CE76HOT-ITMFS

Also available in Grey

5MP 2.8mm fixed lens IR eyeball camera with audio*

AoC cameras give audio over coax when used with the AoC recorders see pages 39 - 41



















DS-2CE78D0T-IT3FS

2MP 2.8mm fixed lens IR turret camera with audio



DS-2CE78HOT-IT3FS

Also available in Grev 5MP 2.8mm fixed lens IR turret camera with audio

AoC cameras give audio over coax when used with the AoC recorders see pages 39 - 41



HIKVISION















DS-2CE72DF3T-PIRXOS 2MP 2.8mm fixed lens ColorVu PIR siren turret camera with built in mic & speaker

- DS-1280ZJ-TR13 Power intake box
- DS-1272ZJ-110-TRS Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount

AoC cameras give audio over coax when used with the AoC recorders see pages 39 - 41















DS-2CE72DFT-F28

2MP 2.8mm fixed lens ColorVu turret camera



DS-2CE72HFT-F28

Also available in Grey 5MP 2.8mm fixed lens ColourVu turret camera



- DS-1280ZJ-TR13 Power intake box Also available in Grey
- DS-1272ZJ-110-TRS Metal wall mount Also available in Grey
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount











HIKVISION AoC & ColorVu TVI Cameras 35





DS-2CE70KF0T-MFS

5MP 2.8mm fixed lens ColorVu turret camera with built in mic



Bracket Options:

- DS-1280ZJ-XS Junction box
- DS-1272ZJ-110-TRS Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount

AoC cameras give audio over coax when used with the AoC recorders see pages 39 - 41

















DS-2CE72KF0T-FS

5MP 2.8mm fixed lens ColorVu turret camera



Bracket Options:

- DS-1280ZJ-S Junction box
- DS-1272ZJ-110-TRS Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount

AoC cameras give audio over coax when used with the AoC recorders see pages 39 - 41



















DS-2CE12KF0T-FS

5MP 3.6mm fixed lens ColorVu bullet camera



Bracket Options:

DS-1280ZJ-XS Junction box



AoC cameras give audio over coax when used with the AoC recorders see pages 39 - 41

















Bracket Options:

- DS-1280ZJ-XS Junction box
- DS-1272ZJ-110-TRS Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount















DS-2CE78U1T-IT3F Also available in Grey 8MP 2.8mm fixed lens IR turret camera

Bracket Options:

- DS-1280ZJ-TR13 Power intake box Also available in Grey
- DS-1272ZJ-110-TRS Metal wall mount Also available in Grey
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount















DS-2CE79U1T-IT3ZF 8MP 2.7-13.5mm motorized varifocal IR turret camera

- DS-1280ZJ-TR12 Power intake box
- DS-1273ZJ-130-TRL Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount













HIKVISION 8MP TVI Cameras 37





DS-2CE59U1T-AVPIT3ZF

8MP 2.7-13.5mm motorized varifocal IR vandal dome camera

Bracket Options:

- DS-1273ZJ-140 Metal wall mount
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount



















DS-2CE16U1T-IT3F 8MP 3.6mm fixed lens IR bullet camera

Bracket Options:

• DS-1280ZJ-XS Junction box















DS-2CE19U1T-AIT3ZF 8MP 2.7-13.5mm motorized varifocal IR bullet camera

Bracket Options:

- DS-1280ZJ-S Junction box
- DS-1275ZJ Vertical pole mount
- DS-1276ZJ-SUS Corner mount













38 HIKVISION TVI PTZ Range

DS-2AE4225T-D3(E)

2MP IR internal PTZ with 25X zoom



FEATURES:

- 2MP 1080P full HD resolution
- Embedding option
- True day/night
- 25X optical zoom, 4.8 120mm
- 12V DC
- Supports analogue BNC output



DS-2AE4215TI-D(E)

2MP IR PTZ with 15X zoom



Comes with:

• DS-1618ZJ Wall mount

FEATURES:

- 2MP 1080P full HD resolution
- Up to 100m IR distance
- True day/night
- 15X optical zoom, 5 75mm
- 12V DC
- Supports analogue BNC output



DS-2AE4225TI-D(E)

2MP IR PTZ with 25X zoom



Comes with:

DS-1618ZJ Wall mount

FEATURES:

- 2MP 1080P full HD resolution
- Up to 100m IR distance
- True day/night
- 25X optical zoom, 4.8 120mm
- 12V DC
- Supports analogue BNC output

Comes with:

DS-1618ZJ Wall mount



DS-2AE5225TI-A(E)

2MP IR PTZ with 25X zoom



Comes with:

DS-1602ZJ Wall mount

FEATURES:

- 2MP 1080P full HD resolution
- Up to 150m IR distance
- True day/night
- 25X optical zoom, 4.8 120mm
- 24V AC
- Supports analogue BNC output



DS-2AE5232TI-A(E)

2MP IR PTZ with 32X zoom



Comes with:

• DS-1602ZJ Wall mount

FEATURES:

- 2MP 1080P full HD resolution
- Up to 150m IR distance
- True day/night
- 32X optical zoom, 4.8 153mm
- 24V AC
- Supports analogue BNC output



HIKVISION 2 & 8MP AcuSense DVR Range 39

iDS-7204HQHI-K1/2S(C) 4ch DVR iDS-7208HQHI-K1/4S(C) 8ch DVR iDS-7216HQHI-K1/4S(B) 16ch DVR

FEATURES:

- · Connectable to HD-TVI, CVI, AHD, IP & analogue cameras
- Long distance transmission over twisted pair cable & coax cable
- H.265 Pro+ compression improves encoding efficiency & reduces data storage costs
- Smart search for efficient playback
- 1ch face detection
- 15fps recording at 2MP
- HDMI & VGA output at up to (1920x1080)
- Deep learning-based analysis: re-recognition of the human body or vehicle target in behaviour detection to reduce false alarm, support 2-ch detection for 4ch recorder & 4-ch detection for 8 & 16 channel recorder

AoC

These recorders offer Audio over Coax (AoC) when used with the ITMF, ITMFS, PIRXOS, MFS & FS cameras see pages 34 - 35









iDS-7204HUHI-K1/4S 4ch DVR iDS-7208HUHI-K1/4S 8ch DVR iDS-7216HUHI-K2/4S 16ch DVR

FEATURES:

- Connectable to HD-TVI, CVI, AHD, IP & analogue cameras
- Long distance transmission over twisted pair cable & coax cable
- H.265+ compression improves encoding efficiency by up to 50% & reduces data storage costs
- Smart search for efficient playback
- 1ch face detection
- 8fps recording at 8MP, 12fps recording at 5MP 25fps recording at 2MP
- 4ch: HDMI & VGA output at up to (1920x1080)
- 8/16ch: HDMI output at up to 4K (3840x2160)
 VGA output at up to (1920x1080)
- 4ch: 4 alarms in / 1 alarm out,
 8/16ch: 8 alarms in / 4 alarms out
- Deep learning-based analysis: re-recognition of the human body or vehicle target in behaviour detection to reduce false alarm, support 4-ch detection

AoC

These recorders offer Audio over Coax (AoC) when used with the ITMF, ITMFS, PIRXOS, MFS & FS cameras see pages 34 - 35







16ch











	NO HDD	1 TB	2ТВ	ЗТВ	4TB	6ТВ	8TB	12TB	16TB
4ch	√	✓	✓	✓	✓	✓	×	×	×
8ch	✓	×	✓	\checkmark	✓	✓	✓	×	×
16ch	✓	×	✓	✓	✓	✓	✓	✓	√

40 HIKVISION DVR Range

iDS-7204HUHI-M1/FA 4ch DVR iDS-7208HUHI-M1/FA 8ch DVR

FEATURES:

- Connectable to HD-TVI, CVI, AHD, IP & analogue cameras
- Audio via coax cable
- H.265+ compression improves encoding efficiency by up to 50% & reduces data storage costs
- Smart search for efficient playback
- 1ch face detection
- 8fps recording at 8MP, 12fps recording at 5MP,
 25fps recording at 2MP
- 4ch: HDMI output at up to (2560x1440)
 VGA output at up to (1920x1080)
- 8ch: HDMI output at up to 4K (3840x2160)
 VGA output at up to (1920x1080)
- Deep learning-based analysis: re-recognition of the human body or vehicle target in behaviour detection to reduce false alarm, support 4-ch detection
- Up to 16 face picture libraries



These recorders offer Audio over Coax (AoC) when used with the ITMF, ITMFS, PIRXOS, MFS & FS cameras see pages 34 - 35

















	NO HDD	1 TB	2ТВ	ЗТВ	4TB	6ТВ	8ТВ
4ch	√	√	√	✓	✓	√	×
8ch	√	×	√	√	√	√	√







DS-7204HTHI-K1(S) 4ch DVR **DS-7208HTHI-K2(S)** 8ch DVR

FEATURES:

- · Connectable to HD-TVI, CVI, AHD, IP & analogue cameras
- Long distance transmission up to 800m @ 1080P on RG59, up to 400m on CAT5/UTP
- H.265+ compression improves encoding efficiency by up to 50% & reduces data storage costs
- 15fps recording at 8MP, 20fps recording at 5MP, 25fps recording on 4MP, 18fps recording on 3MP, 25fps recording on 2MP
- HDMI output at up to (3840 x 2160)
- VGA output at up to (1920 x 1080)
- Smart search for efficient playback
- Intrusion detection & line crossing on every channel
- 4ch: 4 alarms in / 1 alarm out
 8ch: 8 alarms in / 4 alarms out

AoC

These recorders offer Audio over Coax (AoC) when used with the ITMF, ITMFS, PIRXOS, MFS & FS cameras see pages 34 - 35









FEATURES:

- Connectable to HD-TVI, CVI, AHD, IP & analogue cameras
- 16ch: Up to 18-ch 8MP IP cameras input 32ch: Up to 40-ch 8MP IP cameras input
- Long distance transmission over twisted pair cable & coax cable
- H.265+ compression improves encoding efficiency by up to 50% & reduces data storage costs
- 8MP @ 8fps, 5MP @ 12fps, 4MP @ 15fps,
 3MP @ 18fps, 2MP @ 25fps
- Simultaneous HDMI 1 & VGA output at up to 1920 x 1080 resolution, and independent HDMI 2 output at up to 4K (3840 2160) resolution
- Smart search for efficient playback
- 16 alarms in / 4 alarms out















	NO HDD	2ТВ	ЗТВ	4TB	6ТВ	8TB	12TB	16TB
4ch	√	✓	✓	✓	√	√	×	×
8ch	√	✓	✓	✓	✓	✓	✓	√

















	NO HDD	4ТВ	6ТВ	8TB	1 2TB	16TB	24TB	32TB
16ch	√	√	√	✓	✓	√	✓	\checkmark
32ch	✓	\checkmark	✓	\checkmark	✓	✓	✓	\checkmark

DS-1005KI

Hikvision USB keyboard



DS-1200KI

Hikvision network & RS485 keyboard



DS-1105KI

Hikvision Touch Screen Network Keyboard



DS-1600KI

Hikvision Touch Screen Network Keyboard



HIK/RACKMOUNTS

Hikvision Rackmounts for use with K2 & I2 series DVRs & NVRs



32GB/MSD 64GB/MSD 128GB/MSD 256GB/MSD

MicroSDHC/microSDXC class 10 UHS-I cards





















DS-3E1106HP-EI

Smart Managed 4-Port 100 Mbps PoE Switch



- Up to 300m transmission achievable at reduced mbps rate using extend mode
- 4 x 100Mbps PoE RJ45 ports
- 2 x 100Mbps network RJ45 port
- Maximum PoE ports power: 60W
- Maximum power of single PoE port: 30W

DS-3E1309P-EI

Smart Managed 8-Port 100 Mbps PoE Switch



- Up to 300m transmission achievable at reduced mbps rate using extend mode
- 8 x 100Mbps PoE RJ45 ports
- 1 x gigabit network RJ45 port
- Maximum PoE ports power: 110W
- Maximum power of single PoE port: 30W

DS-3E1318P-EI

Smart Managed 16-Port 100 Mbps PoE Switch



- Up to 300m transmission achievable at reduced mbps rate using extend mode
- 16 x 100Mbps PoE RJ45 ports
- 2 x gigabit combos
- Maximum PoE ports power: 230W
- Maximum power of single PoE port: 30W

DS-3E1326P-EI

Smart Managed 24-Port 100 Mbps PoE Switch



- Up to 300m transmission achievable at reduced mbps rate using extend mode
- 24 x 100Mbps PoE RJ45 ports
- 2 x gigabit combos
- Maximum PoE ports power: 370W
- Maximum power of single PoE port: 30W

DS-3E0310HP-E

8-Port 100 Mbps Long-Range Unmanaged PoE Switch



- Up to 250m transmission achievable at reduced mbps rate using extend mode
- $1 \times 10/100$ Mbps Hi-PoE port
- Dual uplink network design
- Maximum PoE ports power: 60W
- Maximum power of single PoE port: 30W

DS-3T0306HP-E/HS

4-Port 100M Unmanaged Hi-PoE Switch



- Up to 300m long-range transmission
- 3 x 100m PoE ports, 1 x Hi-PoE port
- Maximum PoE ports power: 60W
- Maximum power of single PoE port: 30W
- 1 × gigabit SFP Fiber Optical Port

DS-3T0310HP-E/HS

8-Port 100M Unmanaged Hi-PoE Switch



- Up to 300m long-range transmission
- 6 x 100m PoE ports, 2 x Hi-PoE port
- Maximum PoE ports power: 110W
- Maximum power of single PoE port: 30W
- 1 × gigabit SFP fiber optical port

DS-3T0510HP-E/HS

8-Port Gigabit Unmanaged Hi-PoE Switch



- Up to 300m long-range transmission
- 6 x gigabit PoE RJ45 ports, 2 x gigabit Hi-PoE port
- Maximum PoE ports power: 110W
- Maximum power of single PoE port: 30W
- 2 × gigabit SFP fiber optical port

TL-SF1006P

6-Port 10/100Mbps Desktop Switch with 4-Port PoE+



- 4 PoE+ ports, transfers data and power on one single cable
- Supports PoE power up to 30W for each PoE port
- 67W PoE total budget power

TL-SF1008P

8-Port 10/100Mbps Desktop Switch with 4-Port PoE



- 4 PoE ports, transfers data and power on one single cable
- Supports PoE power up to 15.4W for each PoE port
- 66W PoE total budget power

TL-SF1009P

9-Port 10/100Mbps Desktop Switch with 8-Port PoE+



- 8 PoE+ ports, transfers data and power on one single cable
- Supports PoE power up to 30W for each PoE port
- 65W PoE total budget power

TL-SL1311MP

8-Port 10/100Mbps + 3-Port Gigabit Desktop Switch with 8-Port PoE+



- 8 PoE+ ports, transfers data and power on one single cable
- Supports PoE power up to 30W for each PoE port
- 124W PoE total budget power

46 Ptp-link Switches

TL-SL1218MP

16-Port 10/100Mbps + 2-Port Gigabit Unmanaged PoE Switch



- 16 ports of 802.3at/af-compliant power over Ethernet
- Supports PoE power up to 30W for each PoE port
- 192W total PoE budget
- 2 × gigabit SFP fiber optical port

TL-SL1226P

24-Port 10/100Mbps + 2-Port Gigabit Unmanaged PoE+ Switch



- 24 ports of 802.3at/af-compliant power over Ethernet
- Supports PoE power up to 30W for each PoE port
- 250W total PoE budget
- 2 × gigabit SFP fiber optical port

TL-SL2428P

24-Port 10/100Mbps + 4-Port Gigabit Smart PoE+ Switch



- 24 ports of 802.3at/af-compliant power over Ethernet
- Supports PoE power up to 30W for each PoE port
- 180W total PoE budget
- 2 × gigabit SFP fiber optical port

TL-SG108PE

8-Port Gigabit Easy Smart Switch with 4-Port PoE



- 4 PoE ports, transfers data and power on one single cable
- Supports PoE power up to 15.4W for each PoE port
- 55W PoE total budget power

TL-SG2210P

JetStream 8-Port Gigabit Smart PoE+ Switch with 2 SFP Slots



- 8 ports of 802.3af-compliant PoE
- Supports PoE power up to 15.4W for each PoE port
- 53W PoE total budget power
- 2 × gigabit SFP fiber optical port

TL-SG1008MP

8-Port Gigabit Desktop/Rackmount Switch with 8-Port PoE+



- 8 PoE ports, transfers data and power on one single cable
- Supports PoE power up to 30W for each PoE port
- 124W PoE total budget power

TL-SG1218MP

18-Port Gigabit PoE Switch with 16-Port PoE+



- 16 PoE ports, transfers data and power on one single cable
- Supports PoE power up to 30W for each PoE port
- 250W PoE total budget power

TL-SG1218MPE

16-Port Gigabit Easy Smart PoE Switch with 16-Port PoE+



- 16 PoE ports, transfers data and power on one single cable
- Supports PoE power up to 30W for each PoE port
- 250W PoE total budget power

TL-SG2428P

JetStream 28-Port Gigabit Smart PoE Switch with 24-Port PoE+



- 24 ports of 802.3at/af-compliant power over Ethernet
- Supports PoE power up to 30W for each PoE port
- 250W PoE total power budget
- 4 × gigabit SFP fiber optical port

TL-SG3428MP

JetStream 28-Port Gigabit L2 Managed Switch with 24-Port PoE+



- 24 ports of 802.3at/af-compliant power over Ethernet
- Supports PoE power up to 30W for each PoE port
- 384W PoE total power budget
- 4 × gigabit SFP fiber optical port

TL-SG3452P

JetStream 52-Port Gigabit L2+ Managed Switch with 48-Port PoE+



- 48 ports of 802.3at/af-compliant power over Ethernet
- Supports PoE power up to 30W for each PoE port
- 384W PoE total power budget
- 4 × gigabit SFP fiber optical port

TL-SG105

10/100/1000 Mbps Desktop Switch



- IEEE 802.3x flow control provides reliable data transfer
 - Plug & Play, no configuration needed

ports supporting Auto-MDI/MDIX

TL-SG108

8-Port 10/100/1000Mbps Desktop Switch



 8 10/100/1000Mbps Auto-Negotiation RJ45 ports supporting Auto-MDI/MDIX

5 10/100/1000Mbps Auto-Negotiation RJ45

- IEEE 802.3x flow control provides reliable data transfer
- Plug & Play, no configuration needed

TL-PA4010PKIT

AV500 Powerline Adapter with AC Pass Through Kit



- Data transmission rates up to 500Mbps over electrical wires, ideal for HD video streaming
- Integrated power socket making sure that no power outlet is going to waste
- Plug and play design and easy encryption on a push of pair button
- Power-Saving Mode automatically reduces power consumption by up to 85%

TL-SM311LM

Mini GBIC fibre module



MP500 KIT

AV1000 Gigabit Powerline Starter Kit



300Mbps Wifi range extender



TL-POE150S

PoE Injector







DS-D5019QE-B

18.5" LED HDMI & VGA monitor















DS-D5022FN-C

22" LED HDMI & VGA monitor

DS-D5024FN-B

23.8" LED HDMI & VGA monitor

DS-D5027FN

27" LED HDMI & VGA monitor



























DS-D5022FC

21.5" LED HDMI & VGA monitor

















DS-D5032QE

31.5" LED HDMI & VGA monitor















DSM10.1LED-WGF

10.1" monitor metal case/glass fronted















DS195AHDA

19.5" LED HDMI, VGA & BNC monitor
















DS236AHDA-2

23.6" LED HDMI, VGA & BNC monitor















LED32/LG

32" LED HDMI & VGA monitor











52 4K & Test Monitors



DS28-4KLED

28" 4K UHD LED monitor















DS32-4KLED

32" 4K LED monitor

Order on request















DSM43-4KLED

43" 4K LED monitor

Order on request













IPTESTER/PRO

High resolution multifunction colour test monitor

- 7 Inch IPS touch screen
- 5MP TVI, 4MP CVI, 4MP AHD & SDI/EX-SDI test
- H.265/H.264, 4K video display via mainstream
- Dual window test, IP & Analog camera test
- Built in WIFI, create WIFI hotspot
- HDMI input, supports 1080p
- IP discovery, shortcut button, drop-down menu
- 12VDC 2A, DC48V PoE power output
- RJ45 cable TDR test, cable quality
- UTP cable tester
- TesterPlay: Tester, android version mobile phone, PC display at the same time
- 10/100/M Ethernet, PoE and Power monitoring



DTV-TESTER/4

High resolution multifunction colour test wrist monitor

- 4 Inch IPS touch screen
- 8MP TVI, 4MP CVI, 5MP AHD, 4K H.265 IP, CVBS
- H.265/H.264, 4K video display via main stream
- Dual window test, IP & Analog camera test
- Built in WIFI, create WIFI hotspot
- IP discovery , shortcut button, drop-down menu
- 12VDC 3A, DC48V PoE power output
- TesterPlay: Tester, android version mobile phone, PC display at the same time
- 10/100/1000M Ethernet, PoE, and Power monitoring



TFTBKT

Monitor Bracket Flat mount VESA standards 75 and 100mm



DTV-HDMI/2 2 way HDMI splitter



HAY-VGA VGA Over CAT5 Balun



HDMILEAD 1m HDMI Lead

HDMILEAD/3M 3m HDMI Lead

HDMILEAD/5M 5m HDMI Lead

HDMILEAD/10M 10m HDMI Lead

TFTBKT/ARM

Monitor Bracket with Swinging Arm, VESA standards 75 and 100 mm




DTV-HDMI/4 4 way HDMI splitter



HDMI/EXT/PASS

Single Channel HDMi CAT5 extender, Transmit approx. 40M at 1080P, Includes transmitter & receiver. No PSU required







TFTBKT/CEILING

Monitor ceiling bracket for VESA standards 75, 100 & 200mm



KVM-POE/4K **HDMI PoE Extender**







HDMI/MOD



54 HIKVISION Decoders & Encoders

DS-6701HUHI

1ch video encoder

1-ch audio input, WD1: 25 fps/ch, alarm I/O: 1/1, CVBS input, MicroSD, compact design

DS-6704HUHI

4ch video encoder

4-ch audio input, WD1: 25 fps/ch, alarm I/O: 4/2, CVBS input, MicroSD, compact design



4ch video encoder

4-ch audio input, 5MP: 12 fps/ch, 1 PoE Ethernet interface, alarm I/O: 4/1, TVI or CVBS input

DS-6716HUHI-K

16ch video encoder

4-ch audio input, 5MP: 12 fps/ch, 1 PoE Ethernet interface, alarm I/O: 16/4, TVI or CVBS input

DS-6901UDI

4K decoder, 1 HDMI output

Provides HDMI, VGA or BNC O/P, 2ch @ 12MP, 4ch @ 8MP, 6ch @ 5MP, 10ch @ 3MP & 16ch @ 2MP decoding options

DS-6904UDI(B)

4K decoder, 4 HDMI output

Provides HDMI & BNC, 2ch @ 24MP, 4ch @ 12MP, 8ch @ 8MP, 12ch @ 5MP, 20ch @ 3MP & 36ch @ 2MP decoding options

DS-6908UDI(B)

4K decoder, 8 HDMI output

Provides HDMI, VGA or BNC O/P, 8ch @ 12MP, 16ch @ 8MP, 24ch @ 5MP, 40ch @ 3MP & 64ch @ 2MP decoding options

DS-6916UDI(B)

4K decoder, 16 HDMI output

Provides HDMI, VGA or BNC O/P, 8ch @ 24MP, 16ch @ 12MP, 32ch @ 8MP, 48ch @ 5MP & 80ch @ 3MP decoding options

















Wireless Transmission 55



NBE-5AC-GEN2

Ubiquiti 5GHz Indoor/Outdoor up to 15km Wireless bridge 2 required

Frequency: 5GHz Throughput: 450+Mbps Range: up to 15km

If you wish to connect the local radio into the NVRs own POE switch array it is recommended that a standalone switch is introduced to act as a hop between the radios POE injector and the NVRs POE switch array as shown below in building A




ISO-BEAM-19


Isolator shield for Nanobeam NBE-5AC-GEN2 wireless bridge



GBE-Plus

Ubiquiti 60GHz
Indoor/Outdoor up to 1.5km
Wireless bridge
2 required







TRANSMISSION WITH INNOVATION AMG8870F-06

Outdoor Wireless Radio

- Up to 6km (integrated antenna)
- Up to 500Mbps compressed video throughput
- 24V passive PoE
- IP66 Rated Enclosure



EAP225

AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point

- Simultaneous 450Mbps on 2.4GHz and 867Mbps on 5GHz totals 1317Mbps Wi-Fi speeds
- Compatibility with 802.3af and Passive PoE



tp-link.

DECO-M5-3PK

Whole Home Wi-Fi - 3 Pack

- 5 LAN/WAN Gigabit Ethernet ports,
 1 Power port
- 4 internal antennas per Deco unit
- 867Mbps at 5GHz, 400Mbps at 2.4GHz
- 12V/1.2A



WIRELESSBKT

1ft mounting bracket for wireless transmission

56 / J/ X Wireless Intruder



HUB2KIT1MP
Available in White



HUB2KIT1MP/DD

Includes the new StreetSiren DD **Available in White & Black**



HUB2KIT3MP
Available in White



HUB2KIT3MP/DD

Includes the new StreetSiren DD

Available in White & Black



HUB2KIT1DD HUB2KIT+DD

Includes the new StreetSiren DD

Available in White



HUB2KIT3DD HUB2KIT3+/DD

Includes the new StreetSiren DD Available in White



Wireless opening detector Available in White & Black



GLASSPROTECT

Small wireless detector that notifies of glass being broken by intruders

Available in White



MOTIONPROTECT

Wireless motion detector

Available in White & Black
MOTIONPROTECT+

Wireless motion detector with microwave sensor



Available in White & Black

COMBIPROTECT
Wireless combined motion and glass break detector



MOTIONPROTECT OUTDOOR

Wireless outdoor motion detector with an advanced anti-masking system and pet-immunity Available in White



MOTIONPROTECT CURTAIN

Narrow beam indoor motion detector.

Available in White



MOTIONCAM OUTDOOR

Available in White

Wireless outdoor motion detector with a photo camera to verify alarms

Available in White



HOODMPO

Hood for MotionProtect Outdoor protects from rain and snow **Available in White**



MOTIONCAM

Motion detector with a photo camera to verify alarms

Available in White & Black



HUB2PSU/6V

Works with Hub2 & Hub2+

6V PSU for

- Hub2
- Hub2+



DUALCURTAIN OUTDOOR

Wireless outdoor bidirectional curtain motion detector **Available in White**

Works with Hub+, Hub2 & Hub2+



HUB2PSU/12V

12V PSU for

- Hub2



RELAY

Radio channel controller for remote control of low current equipment



SOCKET

Available in White Smart plug



WALLSWITCH

Radio channel controller allows to control domestic appliances



HUB

Intelligent control panel Available in White

HUB₂

Intelligent control panel with visual alarm verification Available in White

REX

Radio signal range extender Available in White

HUB+

Second-generation intelligent control panel with four communication channels

Available in White

HUB2+

REX2

Intelligent control panel with visual alarm verification Available in White

HUB2(4G)

Intelligent control panel with visual alarm verification & LTE cellular mode Available in White





Radio signal range extender supporting photo verification of alarms

Available in White

LEAKSPROTECT

Wireless addressable leak detector Available in White

FIREPROTECT

Wireless fire detector with temperature sensor Available in White

FIREPROTECT+

Wireless fire detector with temperature and carbon oxide sensors Available in White







KEYPAD

Wireless touch keypad Available in White & Black



KEYPAD+

Wireless touch keypad supporting encrypted contactless cards and key

Available in White & Black Works with Hub+, Hub2 & Hub2+



TAG

Encrypted contactless key fob for keypad+ Available in Black



DOUBLEBUTTON

Wireless double panic button for fast response Available in White



HOMESIREN

Wireless indoor siren Available in White



STREETSIREN

Wireless outdoor siren Available in White & Black



SPACECONTROL

A key fob for controlling security modes Available in White & Black



TRANSMITTER

A module for integrating third-party wired devices into Ajax



TRANSMITTER

Wireless module for connection of outdoor motion detectors



STREETSIREN DD

Wireless outdoor siren with a clip lock for a branded faceplate

Available in White & Black

SSDD BRANDPLATES

Faceplate for branding StreetSiren DoubleDeck

Available in White & Black



Dummy StreetSiren DoubleDeck Available in White & Black





DS-PWA64-KIT1-WE

1 x DS-PWA64-L-WE - Wireless Control Panel - Light Level
2 x DS-PDP15P-EG2-WE - Wireless PIR Detector
2 x DS-PKF1-WE - Wireless Keyfob
1 x DS-PDMC-EG2-WE - Wireless Magnetic Contact
1 x DS-PS1-E-WE/Blue - Wireless Outdoor Sounder

DS-PWA96-KIT1-WE

1 x DS-PWA96-M-WE - Wireless Control Panel - Medium Level
2 x DS-PDP15P-EG2-WE - Wireless PIR Detector
2 x DS-PKF1-WE - Wireless Keyfob
1 x DS-PDMC-EG2-WE - Wireless Magnetic Contact
1 x DS-PS1-E-WE/Blue - Wireless Outdoor Sounder

DS-PDP15P-EG2-WE

Wireless PIR Detector



DS-PDC15-EG2-WE

Wireless Curtain PIR



DS-PDD12P-EG2-WE

Wireless Dual-Tech



DS-PDPG12P-EG2-WE

Wireless PIR-Glass Detector



DS-PDMCX-E-WE

Wireless External Magnet Detector



DS-PDEBP2-EG2-WE

Portable Wireless Emergency Button (dual button)



DS-PDSMK-S-WE

Wireless Photoelectric Smoke Detector



DS-PDEB2-EG2-WE

Wireless Wall mounted Emergency Double Button



DS-PDMC-EG2-WE

Wireless Magnetic Contact



DS-PDBG8-EG2-WE

Wireless Glass Break Detector



DS-PDMCK-EG2-WE

Wireless Magnetic Shock Detector



DS-PDMCS-EG2-WE

Wireless Slim Magnetic Contact



HIKVISION AX Pro Wireless Intruder 59

DS-PDTPH-E-WE

Detector

DS-PDCL12-EG2-WE

DS-PM1-O1H-WE Wireless Wall Switch

DS-PM1-O1L-WE

Wireless Relay Module





Wireless Temperature & Humidity Wireless Internal PIR Ceiling Detector






DS-PDPC12PF-EG2-WE

Wireless PIRCAM ColorVu Detector

DS-PDWL-E-WE Wireless Water Leak Detector

DS-PKF1-WE Wireless Keyfob

DS-PT1-WE











DS-PWA64-L-WE Wireless Control Panel

DS-PS1-I-WE/BLUE

DS-PK1-E-WE Wireless Keypad

DS-PS1-E-WE/BLUE Wireless Outdoor Sounder

Wireless Indoor Sounder





DS-PR1-WE

Wireless Range Extender

DS-PDB-IN-CEILINGBRACKET

Indoor Ceiling Bracket for PIR detectors

DS-PDB-IN-WALLBRACKET

Indoor Wall bracket for PIR detectors







DS-PT-M1

Tag

DS-PM1-D 12V PSU Module

DS-PM1-I1-WE Single Input Transmitter







60 Pyronix Wireless Intruder



ENFKIT1-UK Enforcer Kit1

1x ENF32UK-WE all in one two-way wireless panel with DIGI-WIFI communicator 2x KX10DP-WE - wireless KX pet immune PIR detector 10m range 1x MC1MINI-WE - two-way wireless mini magnetic contact 2x KEYFOB-WE - two-way wireless keyfob 1x DELTA/MOD-WE - wireless Deltabell module



ENFKIT2-UK Enforcer Kit2

1x Enforcer all in one twoway wireless panel with DIGI-WIFI communicator 2x KX10DP-WE - wireless KX pet immune PIR detector 10m range 1x MC1MINI-WE - two-way wireless mini magnetic contact 2x KEYFOB-WE - two-waywireless keyfob



ENFKIT3-UK Enforcer Kit3

1x Enforcer all in one twoway wireless panel with DIGI-WIFI communicator 4x KX10DP-WE - wireless KX pet immune PIR detector 10m range 1x MC1MINI-WE - two-way wireless mini magnetic contact 1x DELTA/MOD-WE - wireless Deltabell module



ENF-TAB/KIT1-UK Enforcer Tablet Kit

1x Enforcer all in one twoway wireless panel with DIGI-WIFI communicator 1x Android tablet

2x KX10DP-WE - wireless KX pet immune PIR detector 10m range 1x DELTA/MOD-WE - wireless Deltabell module



MCNANO-WE Magnetic Contact

MC1MINI-WE Wireless mini

MC1/SHOCK-WE Two way wireless magnetic contact magnetic contact

MCEXTERNAL-WE Wireless outdoor magnetic

contact











KX10DTP3-WE

10m Dual tech pet immune PIR detector



KX10DP-WE

10m Pet immune



KX12DQ-WE

12m wireless dual tech digital PIR detector



KX12DT3-WE

12m wireless dual tech pet immune-PIR detector



Pyronix Wireless Intruder & HIKVISION Radar 61

LEDRKP-WE

Wireless arming station

FPDELTABELLMOD

Wireless Deltabell Module

HEAT-WE

Heat Detection

SMOKE-WE

Smoke Sensor









SPEAKER/SOUNDER-WE

Wireless Speaker Sounder


SMARTPLUG

Smart Plug

TABLET-BRACKET

Wall bracket for ENF-TABLET









White cover for Delta bell



KEYFOB-WE

Two way wireless keyfob



EUR-ETAG

Proximity Tag





DS-PR1-60 Security Radar

DS-PRI120 Security Radar



DS-PRB-1110

Radar Bracket

DS-PRB-1120

Radar Bracket





62 (の) GJO Detectors & IR Lighting

GJD140

GJD triple tech anti masking curtain detector



GJD230 GJD D-TECT 2 IP 30m movement detector

GJD250

GJD D-TECT 50 IP 50m movement detector



GJD260

GJD D-TECT 3 dual tech IP 30m movement detector



GJD300

GJD D-TECT 2 quad external PIR detector



GJD310

GJD D-TECT 3 Quad external PIR detector



GJD350

GJD D-TECT 50m movement detector



GJD359

GJD D-TECT 50m anti masking movement detector



GJD430

GJD 30m wireless motion detector



GJD450

50m wireless motion detector



PMB₁

Pole mount bracket for D-TECT series



GJD392

500m wireless receiver





GJD308

Steel wire plastic coated guard



GJD393

4 way receiver plug in module



GJD394

wireless signal strength walk tester for use with a selection of detectors



GJD710

GSM speech & text communicator



GJD304

Conduit cable entry adaptor



GJD380

Walk tester



IS-8+

Small IR illuminator Distance up to 132m 12-32V DC/24V AC



IS-8+POE

Small Plus IR illuminator with PoE+, distance up to 101m



Medium IR illuminator Distance up to 187m 12-32V DC/24V A







SIP-3020

30 x 20m external PIR detector with advanced detection algorithm

SIP-4010

40 x 10m external PIR detector with advanced detection algorithm

SIP-404

40 x 4m external PIR detector with advanced detection algorithm



SIP-3020/5

30 x 20m external PIR detectorwith independent 5m x 5m creep zone detector

SIP-4010/5

40 x 10m external PIR detector with independent 5m x 5m creep zone detector

SIP-404/5

40 x 4m external PIR detector with independent 5m x 5m creep zone detector



SIP-5030

 $50 \times 30 \text{m}$ external PIR detector with independent $5 \text{m} \times 5 \text{m}$ creep zone detector

SIP-100

100 x 3m external PIR detector with 3 outputs for PTZ camera



SIP-AT

Adjustment tool kit for Redwalls

DS-KD8003-IME1

IP Video intercom module door station



DS-KD-KK

Video intercom nametag module



DS-KD-KP

Video intercom keypad module



DS-KD-M

Video intercom card reader module



DS-KD-DIS

Video intercom display module



DS-KD8003-IME1/S

Stainless steel IP Video intercom module door station



DS-KD-KK/S

Stainless steel video intercom nametag module



DS-KD-KP/S

Stainless steel video intercom keypad module



DS-KD-BK

Video intercom blanking module



DS-KD-IN

Video intercom indicator module





DS-KV8413-WME1(B)

2MP 4ch IP Villa Door Station

- Standard PoE
- 2 MP HD camera
- Noise suppression and echo cancellation
- Low illumination
- Access control functions
- Tamper-proof
- Configuration remotely via Web
- 2.4 GHz Wi-Fi
- Protection level: IK08



DS-KV8213-WME1(B)

2MP 2ch IP Villa Door Station

- Standard PoE
- 2MP HD camera
- Noise suppression and echo cancellation
- Low illumination
- Access control functions
- Tamper-proof
- Configuration remotely via Web
- 2.4 GHz Wi-Fi
- Protection level: IK08



DS-KV6113-WPE1(B)

2MP video intercom villa door station

- Support Wifi (Only available in DS-KV6113-WPE1(B) model), convenient setting up and no wiring required
- Support web configuration
- Nice industry design, IP65, 2 indicator integrated
- Internal Mifare card reader, 1-ch Indoor station access control
- Noise suppression and echo cancellation
- 2MP HD Camera with IR supplement
- Standard PoE/ 12 VDC

DS-KABV6113-RS

Protective rain shield for use with DS-KV6113-WPE1 door station





DS-KABV8113-RS/SURFACE

Surface mounting protective rain shield for use with DS-KV8*13 series door stations

DS-KIS603-P(B)

Video intercom villa door station kit Includes:

1 x DS-KV6113-WPE1

1 x DS-KH6320-WTE1

2 x PSU





DS-KIS604-P(B)

Video intercom villa door station kit Includes:

1 x DS-KV8113-WME1

1 x DS-KH6320-WTE1

2 x PSU

1 x 16GB TF card



DS-KH6320-WTE1

Available in White & Silver

Video intercom indoor station with 7" touch screen and wifi



DS-KH8350-WTE1

Video intercom indoor station with 7" touch screen and wifi



DS-KH9310-WTE1

Android video intercomindoor station with 7" touch screen and wifi



DS-KH9510-WTE1

Android video intercom indoor station with 10.1" touch screen and wifi

DS-KH8520-WTE1

10-inch video intercom indoor station



DS-KM9503

10-inch video intercom main station with microphone



DS-KB8113-IME1

IP video intercom vandal resistant door station



DS-KD-ACF1/PLASTIC DS-KD-ACF1/S

Flush mounting bracket for modular door station

S - Stainless steel



DS-KD-ACF2/PLASTIC DS-KD-ACF2/S

Double way flush mounting bracket for modular door station

S - Stainless steel



DS-KD-ACF3/PLASTIC DS-KD-ACF3/S

Triple way flush mounting bracket for modular door station

S - Stainless steel



DS-KD-ACW1/S

Single wall mounting bracket for modular door station

S - Stainless steel



DS-KD-ACW2/S

Flush mounting bracket for modular door station

S - Stainless steel



DS-KD-ACW3 • DS-KD-ACW3/S

Triple wall mounting bracket for modular door station

S - Stainless steel



DS-KABH6320-T

Desk mount stand for use with DS-KH6320-WTE1/2



DS-KABD8003-RS1 /S

Protective rain shield for use with DS-KD-ACW1

S - Stainless steel



DS-KABD8003-RS2 DS-KABD8003-RS2/S

Protective rain shield for use with DS-KD-ACW2

S - Stainless steel



DS-KABD8003-RS3 DS-KABD8003-RS3/S

Protective rain shield for use with DS-KD-ACW3

S - Stainless steel





DS-KD8003-IME2/S

Two-Wire video intercom module door station main unit

Used in conjunction with DS-KD-KP, DS-KD-KK, DS-KD-DIS, DS-KD-M & DS-KD-BK, DS-KD-IN and all associated brackets.

See Page 64 for further details on these products

S - Stainless steel

DS-KIS702(B)

2-wire intercom kit



1x DS-KD8003-IME2 - 2-wire door station

1 x DS-KD-ACW1 - single wall mount

1 x DS-KH6320-WTE2 - 2-wire indoor station

1 x DS-KAD704 - 4 way video audio distributor

1 x PSU

1 x 16GB TF card



DS-KAD706

Two-Wire Video/Audio
Distributor



DS-KAW60-2N

Power Adapter for use with DS-KAD706



DS-KH6320-WTE2(B)

Two-wire IP video intercom indoor station



IC-S50

Contactless smart card for use with Hikvision intercom



IC-S50/FOB

Contactless keyfob for use with Hikvision intercom



HIKVISION Door Access Range 69

DS-K1104M

Vandal proof Mifare card reader



Vandal proof Mifare card reader with keypad

DS-K1F100-D8E

Card enrollment station



DS-K1108AM Mifare Card Reader



DS-K1108AMKMifare Card Reader



DS-K2602T
Two-Door Access Controller



DS-K1108AD
Desfire Card Reader



Desfire Card Reader with keypad



DS-K2604TFour-Door Access Controller



DS-K2M061
Secure Door Control Unit

DS-K1F600U-D6E-F Enrollment station







70 VANDERBILT Door Access

ACTpro-1520 Door Controller, 2A 12V DC



ACT-IOM Mifare Card Reader



ACTpro-120

Card enrollment station

1520 Kit ACTpro-1520 Controller & EM1030 Reader



ACT-USB ACTpro MF/EM Enrollment Reader



MF1030PM ACTpro MIFARE Reader panel





MF1050e ACTpro MIFARE Reader with Keypad



EM1030e ACTpro Prox 125kHz Mullion Reader



EM1040e ACTpro Prox 125kHz Reader



EM1050e ACTpro Prox 125 Reader with Keypad



ACT 5 ACT keypad, 10 user codes



ACT 10
ACT keypad, 10 user codes, 2 doors
& 2 user groups



V42 ACT codelock with 2 codes







ACTPRO SW ACT Pro Software

MF10T1 ACT Mifare Tag (10pcs)

EM10T3 ACT 125kHz Tag (10pcs)







EM10C4
ACT 125kHz Clamshell (10pcs)

MF10C1
ACTpro MIFARE Card (10pcs)

MF-FM
Flush Mount Plate for MF1030PM







MF-VR Vandal-proof Cover for MF/EV1030e

KF1 Black cardholder with clip

CARD-YOCard holder YoYo







DS-K1T671M Face Recognition Terminal



DS-K7M102-M Contactless Smart card



DB1C 2MP Wi-Fi vldeo doorbell



C3X 2MP Dual-lens Wi-Fi camera with built in Al



DS-K1T680D-E1 Face Recognition Terminal



DS-K7M106-D0E Desfire Card



DB1 PRO 5MP Wi-fi wired doorbell



Dimmable Wi-Fi LED bulb Available in White & Colour



DS-K1T341AM

Face Recognition Terminal



DS-KAB671-S Protective Shield for DS-K1T671 Face Recognition Terminal



DB2/PRO 5MP Wi-Fi Battery-powered video Doorbell Kit



EZVIZ CHIME Video doorbell chime for the DB1C & DB1/PRO Doorbells



Door Access Peripherals & Altron 73

BK600ZL

Adjustable Z&L Bracket for use with ML600

ML600

Mini Magnet

ML600-M

Monitored Mini Magnet

ML600-D-M

Double Monitored Mini Magnet









EBNT/TF-1

Contactless exit button

EBGBWC02/PTE

Standard stainless steel & large green dome button with collar

EBSS02/PTE

Standard stainless steel with stainless steel button







EDR-1 & EDR-3

Emergency door release button

DS-K7P03

Contactless exit button

YUASA-NP7-12

12V 7Ah Sealed Lead Acid Battery









Altron columns are a cost effective general duty range of modular construction for ease of handling and installation tilt down columns lock internally.

Altron columns are available to order from Dynamic, Please see our website for the full range





A-2030D TOA 2000 digital series 30W budget

A-2060D TOA 2000 digital series 60W budget

TOA 2000 digital series 120W budget

TOA 2000 digital series 240W budget



PC-1868W-EB

TOA ceiling speaker, 6W



SC-610M TOA horn speaker, 10W, 110dB, IP65

SC-615M

TOA horn speaker, 15W, 112dB, IP65

SC-630M

TOA horn speaker, 30W, 113dB, IP65



SC-P620

TOA powered horn speaker, 20W, IP65



MB-25B TOA rack mount bracket for amplifiers



PM-660D

TOA desktop microphone 600ohm



APH30-IP

IP POE weatherproof horn speaker



TERRA-IEX

IP audio gateway





PPM-IT5

Full colour screen IP paging console





HAYDON



HAY-PSUMULTI-5A

5 Amp 12VDC PSU with upto 9 outputs

The new MULTI range of power supplies are rewriting the rule book for Multiway CCTV power.



The 2 new units, now do the job of 6 previous models without losing any of the current range of benefits with their unique fuse layout making them the most cost effective, user friendly & flexible power supply on the market. The clear panel in the front of each unit allows engineers to see if outputs are live without opening.

HAY-PSUMULTI-10A

10 Amp 12VDC PSU with upto 16 outputs



12V

HAY-PSU1612-20A	16 way	12V D	OC 20Amp	Surge protected
24V				
HAY-PSU4/1-1/4A24V	4 x 1A	or	1 x 4A 24V AC	4Amp Surge protected
HAY-PSU4/2-2/4A24V	/ 4 x 2A	or	2 x 4A 24V AC	8Amp Surge protected
HAY-PSU8/1-1/8A24V	/ 8 x 1 A	or	1 x 8A 24V AC	8Amp Surge protected

HAY-IP-24VPSU-1X4A

IP66 Rated external PSU 1 x 4A outlet



UPS 600VA UPS



12V DC 8 Ch Rack Mount PSU 8 Amp PTC Fused 1U **HAY-RMPSU1612-16A/1U**

HAY-RMPSU812-8A/1U

12V DC 16Ch Rack Mount PSU 16 Amp PTC Fused 1U



PC500 24 AC/DC to DC 12V Regulated Power convertor 500mA



HAY-HDGLIUTC

HD ground loop isolator

UTC

HAY-MUSBKT32GB Data compliance kit



This kit provides the user with 25 incident report logs for CCTV evidence

1.5AMP / 5AMP 12V DC inline PSU



AA002 Audio board





HAY-PSUINLINE3A24 24V AC 3A inline PSU



GEWISS IP65 weatherproof junction box



DC04 1 to 4 Way Power Lead/DC cord



HAY-5USB16GBPK CCTV evidence pack



Each pack is for 5 incidents and comes complete with tamper-proof evidence bags. Can be used in conjunction with the MASTER KIT HAY-MUSBKT32GB

DC08

1 to 8 Way Power Lead/DC cord



CCTV SIGNS Rigid PVC plastic CCTV signs A3, A4, A5, & A5 window sticker



VHW-HW

Ethernet over coax extender

VHW-HWPS-B

Ethernet and POE over coax converter, Base side

VHW-HWPS-C

Ethernet and POE over coax converter, Camera side







VHW-HWPS-C2

2 port ethernet & PoE over coax

VHW-HWPS-C4

4 port ethernet & PoE over coax





VOR-ORL

PoE-powered Ethernet extender

VOR-ORL-G

PoE-powered Ethernet gigabit extender

VOR-ORM

Internal IP & PoE extender Requires a PoE device to function

VOR-ORM-XT

External IP & PoE extender Requires a PoE device to function









VOR-ORM-GXT

POE-powered POE extender (100m/unit)





VLS-1P-B

2 port ethernet & PoE over coax





4 port ethernet & PoE over coax





VAD-PPW

VAD-PSP

Portable PoE battery pack

VAD-PSW

Portable PoE tester with wireless link



VPSU-57V-800

57V DC 800mA PSU for use with Highwire Powerstar& Longspan units



VPSU-57V-1500

57V DC 1500mA PSU for use with Highwire Powerstar & Longspan units



VCS-4P1


Compact 802.3AT PoE 10/100 switch



12/24V

VCS-8P2-MOB

Low voltage PoE plus switch Low voltage PoE plus switch 12/24V











HAY-HDVB01POC-PT

1ch Passive Video Balun with Pigtail lead - (pack of 2) Works with PoC devices

HAY-HDPVB02

Single Channel HD Video & Power Transmitter & Receiver



HAY-VGA VGA Over CAT5 Balun



HDMI/EXT/PASS Single channel HDMI CAT5 extender



DTV-HDMI/2 2 way HDMI splitter



DTV-HDMI/4 4 way HDMI splitter

KVM-POE/4K **HDMI PoE Extender**









DTV-IPCOAX/R

Active IP coax receiver





DTV-IPCOAX/TActive IP coax transmitter

- Up to 1000 metres coaxial transmission
- IP over coax devices
- 100Mbps bandwidth
- 15W POE transmission for powering remote device

DVRBOX/LITE

Lockable storage box

FEATURES

- Powder coated steel construction
- Radial lock with interlocking hooked cam
- Vented both sides
- Internal (DxWxH): 400 x 354 x 91 mm
- External (DxWxH): 445 x 404 x 120mm
- · Weight: 6.3kg

DVRBOX

Lockable storage box

FEATURES

- Powder coated steel construction
- Radial lock with interlocking hooked cam
- Vented both sides
- Internal (DxWxH): 510 x 506 x 103mm
- External (DxWxH): 540 x 510 x 124mm
- Weight: 10.9kg

DVRBOX/PRO

Lockable storage box with removable lid

FEATURES

- Powder coated steel construction
- · Radial lock with interlocking hooked cam
- Vented both sides
- Removable lid
- Internal (DxWxH): 560 x 506 x 160mm
- External (DxWxH): 565 x 510 x 170mm
- Weight: 10kg

DVRBOX/FAN

Lockable storage box with cooling fan

FEATURES

- Powder coated steel construction
- · Radial lock with interlocking hooked cam
- 2 x 12V fans expelling hot air from cabinet
- Vented both sides
- Internal (DxWxH): 510 x 480 x 103mm
- External (DxWxH): 540 x 510 x 124mm
- Weight: 7.9kg



80 Recorder Cabinets



CAB6WB450BL

6U 450mm 19" data cabinet

FEATURES

- Lockable glass door
- Optional fan can be fitted
- · Lockable and removable steel side panels
- (DxWxH): 450 x 600 x 349mm
- Weight: 13kg



CAB9WB450BLK

9U 450mm 19" data cabinet

FEATURES

- Lockable glass door
- · Optional fan can be fitted
- · Lockable and removable steel side panels
- (DxWxH): 450 x 600 x 483mm
- · Weight: 16kg



CAB6WB550BL

6U 550mm 19" data cabinet

FEATURES

- Lockable glass door
- Optional fan can be fitted
- Lockable and removable steel side panels
- (DxWxH): 550 x 600 x 349mm
- Weight: 17kg



CAB12WB450BLK

12U 450mm 19" data cabinet

FEATURES

- Lockable glass door
- Optional fan can be fitted
- Lockable and removable steel side panels
- (DxWxH): 450 x 600 x 618mm
- Weight: 19kg



CAB126X6

12U 6x6 floor standing cabinet

FEATURES

- Lockable glass door
- Lockable and removable steel side panels
- (DxWxH): 600 x 600 x 710mm
- Weight: 37kg



CAB186X6

18U 6x6 floor standing cabinet

FEATURES

- Lockable glass door
- Lockable and removable steel side panels
- (DxWxH): 600 x 600 x 975mm
- Weight: 46kg



CAB276X6

27U 6x6 floor standing cabinet

FEATURES

- Lockable glass door
- Lockable and removable steel side panels
- (DxWxH): 600 x 600 x 1377mm
- Weight: 60kg

Recorder Cabinet Accessories 81

SHELF1U300BLK


SHELF2U400BL


SHELF350600


Data cabinet shelf / CAB9WB450BLK / CAB12WB450BLK

Data cabinet shelf Extra shelf for use with CAB6WB450BL Extra shelf for use with CAB6WB550BL

Data cabinet shelf Extra shelf for use with CAB126X6 / CAB186X6 / CAB276X6







BLANKPANEL1U 1U Blank Panel

1UBSP 1U Brush Strip Panel



MANBAR1U4R 1U 4 Ring Management Bar

PNL24AB 1U 4 Ring Management Bar



6 way power distribution unit for use with CAB6WB450BL & CAB6WB550BL

CAGENUTS50

Black Cage Nuts Pack of 50



FANR2600

All-Rack 2 Way Roof Mount Fan Tray 600mm Deep for use with CAB126X6 / CAB186X6 / CAB276X6





PDU6HSUR

82 Cable, Tools & Connectors

CAT5/UTP/GREY

305M CAT5 UTP cable, internal use



CAT6/PE

305m Black CAT6 duct grade solid copper



SHOTGUN

100m shotgun cable CCS



100m light duty mains flex cable, 1mm



SHOTGUN/CLIPS

100 x back shotgun clips



RJ45CRIMP

10 x RJ45 crimps



BNCC x10

3 Piece male BNC crimp x10



BNCT x10

T piece BNC Connector



305m Blue CAT5 internal solid copper, LSZH



RG59

100m RG59 cable CCS



305m Black CAT5 duct grade solid copper



RG59/WHITE

100m RG59 white cable CCS

SHOTGUN/PRO

100m solid copper

shotgun cable

CAT5PATCH/0.5M

CAT5PATCH/3M

Red CAT5 patch lead



100m CAT5/PE with 2 core power attached



RG59/PRO

100m solid copper RG59 cable


SHOTGUN/PRO/250M

250m solid copper

shotgun cable

CAT5/CLIPS/BLACK

100 x CAT5 clips black



CAT6/UTP

305m Grey CAT6

Internal solid copper

RG59/200M

200m RG59 cable CCS

MF0.5

100m light duty mains

flex cable, 0.5mm

CAT5/CLIPS/GREY

100 x CAT5 clips grey

EZRJ45T

RJ45 crimptool, EZ design

allows easier and more secure crimping



SHOTGUN/WHITE

100m shotgun white cable CCS





50cm RG59 patch lead





CAT5/RS

CAT5 outer sheath cable stripper



RG59/RS

RG59 cable stripper



RJ45CRIMP(CAT6)



EZRJ45C

10 x EZ RJ45 crimps suitable for use with EZ-RJ45T



BNCF x10

Female to female BNC

coupler x10

RG59/CRIMPTOOL

RG59 crimptool tool

CAT5BOOT x10

10 x RJ45 strain relief boot, grey



10 x RJ45 crimps for use CAT6

BNCC x100

3 Piece male BNC crimp x100





BNCBOOT

BNC crimp strain relief boot, black, pack of 10



DCPLUG x10 Male 2.1 mm terminal to power adaptor x 10



AUDIO/TERM

Stereo audio jack to terminal connector



DCPLUG/F x10

Female 2.1 mm terminal to power adaptor x 10





PHONO/PLUG x10


Terminal to phono connector x10



Project Support & Tokens 83

With over 25 years security industry experience Dynamic CCTV have the knowledge and expertise to support and guide you through all your project opportunities regardless of size or complexity. We are proud to be an official distributor of Hikvision Security products and can offer and support all of the range from their vast product portfolio, carefully selected to meet your specific requirements or functionality.

We are also partnered with many project orientated manufacturers each with their own specific product lines and solutions which can work individually or come together as a fully integrated system, all of our partners share the same ethos as Dynamic CCTV in offering high levels of support and customer service as well as offering product lines with high levels of functionality and reliability.



















VMS Training

In House Proiect Team

Assistance

Setup & Commissioning Assistance

System Design Advice

Pre-build Services

How to Guides & You-Tube Videos

Remote Custom Training

Dynamic CCT

Dynamic CCTV Project Tokens are designed to help you get the very best pre- and post-sales support from our award winning technical and project support team. The tokens can be used when additional support is needed throughout the design, setup and commissioning process of your project or Hik-central VMS installation. The aim of our Project Support Token scheme is to give all our clients the peace of mind that a member of our dedicated project team is at hand waiting to give that extra level of value-added support throughout your project from inception to completion.

The tokens are purchased in 4HR and 1HR units and are used as time credits within your project account, they are not locked to a specific project and do not expire giving you the flexibility to decide when you use them and on which project.


The Project Support Tokens can be redeemed for the following value added services:

- Assistance with documentation and design schematics
- Pre-configuration and setup of systems before leaving Dynamic CCTV headquarters
- Remote custom training for both engineers and/or end users
- · Remote dial in to setup or assist with commissioning HikCentral VMS systems and associated modules
- Bespoke user guides both written and video where required.
- Prioritized support on mission critical systems

All remote dial in sessions are managed through a booking service where you will be allocated a time slot within a 48-hour window. Contact: project@dynamic-cctv.com if you wish to make a booking.

When the session is complete the time taken will be deducted from your token time credits within your project account. Dynamic CCTV pride ourselves in being able to support your needs and the project token scheme adds even greater weight that Dynamic CCTV is the first choice for all your project opportunities, our dedicated project team is here and waiting to support you.

Contact <u>project@dynamic-cctv.com</u> for further information on this scheme or if you have a project opportunity you would like to discuss with us.



Hik-Central is a licenced open platform Video Management System (VMS) that is developed by Hikvision, the software is customisable through modules allowing you to build your system at the design stage integrating many different hardware technologies to achieve the exact required functionality needed on site. Integration with third party hardware is also possible through the systems open platform and optimus platform.

Hik-Central combines video, data and intelligence analytics across a variety of security technology sectors to deliver a fully integrated solution which can be utilised on a grand scale to meet even the most demanding of site requirements.

Hik-Central represents a new breed of surveillance component modules, a system that is continuously evolving and is designed to deliver a multitude of smart applications over a wide expanse of industries.

Dynamic CCTV offer full pre-sale support on all your Hik-central requirements, we have the experience and expertise to assist you in building a hik-central solution both software and hardware to meet your exact site needs, contact project@dynamic-cctv.com to register your hik-central opportunity.



HC/WEBSERVER

Server for HikCentral software

Benefits:

- Small 1U form factor
- 16GB DDR4 Memory Intel 8th Gen i5 Processor
- Windows Server 2016 Operating System
- Dual Gigabit LAN
- 2 x 2TB Surveillance HDDs in RAID 1 for storage
- 2 x 250GB SSDs in RAID 1 for the Operating System



Designed for the WWS Softwares

HC/WORKSTATION/M/GPU

HikCentral work station with GPU

Benefits:

- Designed for the HIK central platform
- Mid-Tower Desktop Chassis Quiet operation
- 8GB DDR4 Memory
- nVidia RTX 2060 Graphics 3 x mini-Display Port 1.4 outputs supporting resolutions up to 4K
- 8th Gen Intel i5 Processor
- DVD-RW
- Windows 10 Pro 64bit (other OS available upon re
- Dual Gigabit LAN

HC/WORKSTATION/H/GPU

HikCentral work station, high end with GPU

Benefits:

- Designed for the HIK central platform
- Mid-Tower Desktop Chassis Quiet operation
- 9th Gen Intel i7 Processor
- 16GB DDR4 Memory
- nVidia RTX3070 GPU
- DVD-RW
- Windows 10 Pro 64bit (other OS available upon request)
- Gigabit LAN

HIKCENTRAL-WORKSTATION/32

HikCentral work station

Benefits:

- 8GB DDR4 memory
- Intel® Core™ i3-8100 processor
- 300W 80 plus rated PSU
- Gigabit LAN port
- 2 x display ports
- USB 3.0 for fast exporting
- small form factor quiet operation
- 256GB SSD for operating system

86 Meet the BDM Team



Paul Tilbury

South Yorkshire & Midlands



07960 707966



ptilbury@dynamic-cctv.com

"I hold a Degree in Risk and Security Management from Leicester University, I have 30+ yrs experience in the Fire & Security industry having worked for major project based installers and latterly within security distribution."



Mike Readman

North East, North Yorkshire & Scotland



07376 358204



mreadman@dynamic-cctv.com

"I have extensive knowledge of the Security industry having worked for an installer for many years in the design and specification of remote monitored CCTV/standalone systems and as such have vast technical knowledge and good understanding of NSI & SSAIB requirements."



Ben Nelson

North West & West Yorkshire



07951 448907



bnelson@dynamic-cctv.com

"I started out in the CCTV industry in 2001 working as an IT graduate. I have hands on experience of CCTV installs having spent many years on the tools. My desire to progress led me into senior project and tech support roles."



Matthew Pye North West & North Wales



07376 105795



mpye@dynamic-cctv.com

"Having worked sales jobs in various sectors for many years I finally found my passion when I joined the security industry and have not looked back since."



Nikki Jones

South Central & M4 Corridor



07376 105796



njones@dynamic-cctv.com

"I've been in the security industry 19 years. My passion is ensuring I give the best service possible to



Nigel Dyer

good news or bad."

South London, South East, South West & South Wales



07930 742803



ndyer@dynamic-cctv.com

"Having spent many years in Sales I discovered the CCTV & Security industry almost a decade ago and have enjoyed being in the industry ever since."









my customers so that they know I am someone they can rely on. Honesty in all areas whether it be

www.dynamic-cctv.com



- Download the latest catalogues & pricelists
- Download the latest firmwares
- Keep upto date with new products
- Join our free webinars

Place your orders online on our easy to use website

- Search for the products you need to order

DS-2CD2347G2 C

a

HIKVISION DS-2CD2347G2-LU(2.8MM)

£PRICE

Hikvision AcuSense 4MP fixed lens ColorVu turret camera with audio IN STOCK



ADD TO CART


MY ACCOUNT

Download Credit App

- Create different quotes for different jobs Simply click the "ADD TO QUOTE" button

ADD TO QUOTE

- Click the "ADD TO CART" button to order products
 You can also change the quantity "OTY" to how
- You can also change the quantity "QTY" to how many you need



Account Dashboard
Account Information
Address Book
Join us on Whats App
My Orders
My Quotes
Sage Pay - Saved Credit Cards
Download March 2022 Pricelist
Download Pricelist CSV

- Download the pricelist in excel and CSV form from the "MY ACCOUNT" dropdown



Opening Hours

Monday to Thursday 8:30am - 5:30pm Friday 8:30am - 5:00pm





sales@dynamic-cctv.com accounts@dynamic-cctv.com returns@dynamic-cctv.com


project@dynamic-cctv.com technical@dynamic-cctv.com

Delivery Info

We offer a next day delivery on all orders placed Monday - Friday by 4:00pm, orders placed after 4:00pm are usually sent but cannot be guaranteed. Orders over £250 NETT are carriage paid with orders below this amount typically charged at £10. We can even offer delivery between 9 & 5 on Saturday or Sunday at no extra cost.

We also offer the below additional services subject to a surcharge.

Pre 10:30am Pre 12 Saturday Pre 10:30am Saturday Pre 12 2 Day Northern Ireland







All our deliveries are handled by DPD Local using their Predict service that gives a 1 hour delivery window.

















































